



INDEX OF SHEETS

- 1 Title Sheet and Sketch Map.
- 2 Typical Cross Section of Improvement and Summary of Quantities.
- 3 Standard Headwalls for C.M.P. Culverts. M-102-C.
- 4 Standard Project Marker and Barbed Wire Fence. M-24-C.
- 5-9 Plan and Profile Sheets.
- 10-22 Cross Section Sheets.


COLORADO STATE HIGHWAY DEPARTMENT

PLAN AND PROFILE OF PROPOSED FEDERAL AID PROJECT NO. 292-B STATE HIGHWAY NO. 4 EAGLE COUNTY.

CONVENTIONAL SIGNS

-  Center Line of Improvement.
-  Right of Way Line.
-  Section Line.
-  1/4 Section Line.
-  Fence Line.
-  Electric Pole Line.

SCALES
 ON PLAN, 1 IN. = 100 FT.
 ON PROFILE 1 IN. = 100 FT. HORIZONTAL
 1 IN. = 10 FT. VERTICAL
 GRADE LINE ON PROFILE IS SHOWN AS GRADE OF FINISHED ROAD
 GROSS LENGTH OF PROJECT 13 972.4 FEET = 2.646 MILES.
 NET LENGTH OF PROJECT 13 940.5 FEET = 2.640 MILES.



RECOMMENDED FOR APPROVAL
[Signature] 11/28/28
 ASSISTANT ENGINEER

APPROVED
[Signature]
 STATE HIGHWAY ENGINEER

RECOMMENDED FOR APPROVAL
 DIST. ENG. BUREAU PUBLIC ROADS

RECOMMENDED FOR APPROVAL
 CHIEF ENG. BUREAU PUBLIC ROADS

APPROVED
 DIRECTOR BUREAU PUBLIC ROADS

DESCRIPTION.

All that tract or parcel of land, property of the Empire Zinc Co., lying and being within the lines of a Right of Way 80. feet wide in Tp. 6 S. R. 81 W. in Eagle County, Colorado, said land being described as follows:-

Beginning at the N. E. Cor. of Homestead Entry Survey # 46, on the line between Tps. 5 and 6 south, R. 81 W., whence the south $\frac{1}{2}$ Cor. of Sec. 36, Tp. 5 S. R. 81 W. bears S. 89° 57' W. 46.8 ft., Sta. 61° 28.4' of center line of said right of way bears N. 89° 57' E. 40.7 ft.

Thence S. 89° 57' W. 4.7 ft. to west boundary of said right of way, thence along said west boundary of right of way 149.8 ft., running S. 28° 18' E.

Thence S. 27° 40' E. 791.0 ft. to intersect east line of Homestead Entry Survey # 40.

Thence along said east line N. 21° 47' W. 253.9 ft., Thence N. 29° 38' W. 686.4 ft. to the place of beginning containing 0.303 acres.

DESCRIPTION

All that tract or parcel of land, property of the Empire Zinc Co., lying and being within the lines of a Right of Way 80. feet wide in Tps. 3 S. R. 81 W. in Eagle County, Colorado, said land being described as follows:-

Beginning at the N. E. Cor. of Homestead Entry Survey # 46, on the line between Tps. 5 and 6 south, R. 81 W. whence the south $\frac{1}{2}$ Cor. of Sec. 36, Tp. 5 S. R. 81 W. bears S. 89° 57' W. 46.8 ft., Sta. 61 + 28.6 of center line of said right of way bears N. 89° 57' E. 40.7 ft.


Thence S. 89° 57' W. 4.7 ft. to west boundary of said right of way.

Thence along said west boundary of right of way 149.8 ft. running S. 89° 58' E.

Thence S. 87° 40' E. 791.0 ft. to intersect east line of Homestead Entry Survey # 40.


Thence along said east line N. 21° 47' W. 253.9 ft.,


Thence N. 29° 38' W. 686.6 ft. to the place of beginning containing 0.303 acres.



[illegible]

NAME	DATE	TIME	PLACE	REMARKS
...	...	...	...	...

NAME: _____

[illegible]







PLAN
SHEET NO. 1
DATE 1944

REL
SHEET NO. 1
DATE 1944

U.S. ROAD DIST. NO.	STATE	FEED. NO.	SHEET NO.	TOTAL SHEETS
1	OKLA.	1000	1	1



See
Next
Sheet






TABLE OF SIDE DRAIN FOR SHEET


Sta	Side	Size	Length	Remarks
167+00	R	18"	20'	Wash Box
167+20	R	18"	20'	
167+40	R	18"	20'	
167+60	R	18"	20'	
167+80	R	18"	20'	
168+00	R	18"	20'	
168+20	R	18"	20'	
168+40	R	18"	20'	
168+60	R	18"	20'	
168+80	R	18"	20'	
169+00	R	18"	20'	
169+20	R	18"	20'	
169+40	R	18"	20'	
169+60	R	18"	20'	
169+80	R	18"	20'	
170+00	R	18"	20'	
170+20	R	18"	20'	
170+40	R	18"	20'	
170+60	R	18"	20'	
170+80	R	18"	20'	
171+00	R	18"	20'	
171+20	R	18"	20'	
171+40	R	18"	20'	
171+60	R	18"	20'	
171+80	R	18"	20'	
172+00	R	18"	20'	
172+20	R	18"	20'	
172+40	R	18"	20'	
172+60	R	18"	20'	
172+80	R	18"	20'	
173+00	R	18"	20'	
173+20	R	18"	20'	
173+40	R	18"	20'	
173+60	R	18"	20'	
173+80	R	18"	20'	
174+00	R	18"	20'	
174+20	R	18"	20'	
174+40	R	18"	20'	
174+60	R	18"	20'	
174+80	R	18"	20'	
175+00	R	18"	20'	
175+20	R	18"	20'	
175+40	R	18"	20'	
175+60	R	18"	20'	
175+80	R	18"	20'	
176+00	R	18"	20'	
176+20	R	18"	20'	
176+40	R	18"	20'	
176+60	R	18"	20'	
176+80	R	18"	20'	
177+00	R	18"	20'	
177+20	R	18"	20'	
177+40	R	18"	20'	
177+60	R	18"	20'	
177+80	R	18"	20'	
178+00	R	18"	20'	
178+20	R	18"	20'	
178+40	R	18"	20'	
178+60	R	18"	20'	
178+80	R	18"	20'	
179+00	R	18"	20'	
179+20	R	18"	20'	
179+40	R	18"	20'	
179+60	R	18"	20'	
179+80	R	18"	20'	
180+00	R	18"	20'	
180+20	R	18"	20'	
180+40	R	18"	20'	
180+60	R	18"	20'	
180+80	R	18"	20'	
181+00	R	18"	20'	
181+20	R	18"	20'	
181+40	R	18"	20'	
181+60	R	18"	20'	
181+80	R	18"	20'	
182+00	R	18"	20'	
182+20	R	18"	20'	
182+40	R	18"	20'	
182+60	R	18"	20'	
182+80	R	18"	20'	
183+00	R	18"	20'	
183+20	R	18"	20'	
183+40	R	18"	20'	
183+60	R	18"	20'	
183+80	R	18"	20'	
184+00	R	18"	20'	
184+20	R	18"	20'	
184+40	R	18"	20'	
184+60	R	18"	20'	
184+80	R	18"	20'	
185+00	R	18"	20'	
185+20	R	18"	20'	
185+40	R	18"	20'	
185+60	R	18"	20'	
185+80	R	18"	20'	
186+00	R	18"	20'	
186+20	R	18"	20'	
186+40	R	18"	20'	
186+60	R	18"	20'	
186+80	R	18"	20'	
187+00	R	18"	20'	
187+20	R	18"	20'	
187+40	R	18"	20'	
187+60	R	18"	20'	
187+80	R	18"	20'	
188+00	R	18"	20'	
188+20	R	18"	20'	
188+40	R	18"	20'	
188+60	R	18"	20'	
188+80	R	18"	20'	
189+00	R	18"	20'	
189+20	R	18"	20'	
189+40	R	18"	20'	
189+60	R	18"	20'	
189+80	R	18"	20'	
190+00	R	18"	20'	
190+20	R	18"	20'	
190+40	R	18"	20'	
190+60	R	18"	20'	
190+80	R	18"	20'	
191+00	R	18"	20'	
191+20	R	18"	20'	
191+40	R	18"	20'	
191+60	R	18"	20'	
191+80	R	18"	20'	
192+00	R	18"	20'	
192+20	R	18"	20'	
192+40	R	18"	20'	
192+60	R	18"	20'	
192+80	R	18"	20'	
193+00	R	18"	20'	
193+20	R	18"	20'	
193+40	R	18"	20'	
193+60	R	18"	20'	
193+80	R	18"	20'	
194+00	R	18"	20'	
194+20	R	18"	20'	
194+40	R	18"	20'	
194+60	R	18"	20'	
194+80	R	18"	20'	
195+00	R	18"	20'	
195+20	R	18"	20'	
195+40	R	18"	20'	
195+60	R	18"	20'	
195+80	R	18"	20'	
196+00	R	18"	20'	
196+20	R	18"	20'	
196+40	R	18"	20'	
196+60	R	18"	20'	
196+80	R	18"	20'	
197+00	R	18"	20'	
197+20	R	18"	20'	
197+40	R	18"	20'	
197+60	R	18"	20'	
197+80	R	18"	20'	
198+00	R	18"	20'	
198+20	R	18"	20'	
198+40	R	18"	20'	
198+60	R	18"	20'	
198+80	R	18"	20'	
199+00	R	18"	20'	
199+20	R	18"	20'	
199+40	R	18"	20'	
199+60	R	18"	20'	
199+80	R	18"	20'	
200+00	R	18"	20'	




All Buildings on Right of Way to be Moved by County.
Telephone Poles to be Moved by Owners.



Sta 4+35 to 5+05 Road Widened Grade on Right to 40' from S. Retaining Wall to be Built by County. Use heavy granular base to 10' below 5th 6+25 to 7+25 Material Available for use as Selected Surface Material.







PLAN	SUBMITTED	BY	DATE
ROUTE BOOK	PLOTTED		
NO. 2176	ADJUSTMENT CHECKED		
	NO. OF WAYS CHECKED		










REV.	NO.	DATE	BY	CHKD.	APP'D.
1	1	10/1/88	J. H. HARRIS	J. H. HARRIS	J. H. HARRIS

PLAN
NOTE: SEE SHEET 10 FOR
GENERAL NOTES

PROFILE
NOTE: SEE SHEET 10 FOR
GENERAL NOTES

F.A.N.
NOTES

PROFILE
NOTES



FENCE WORK REQUIRED
280+40-325+10-Remove 5870 ft
280+40-339+70-5250 ft of fence (L)

DATE	STATE	PROJECT	NO.
1924	OKLA.	298A	15



Rev. 5-4-25 J.C.W.

7480
Exc. Com.
Exc. Rock
Embankment
Ditch
Overhaul

7460
Exc. Com.
Exc. Rock
Embankment
Ditch
Overhaul

PLAN
SCALE: 1" = 40' HORIZ.
1" = 10' VERT.

PROFILE
SCALE: 1" = 40' HORIZ.
1" = 10' VERT.



Exc. Com.
Exc. Arch.
LMA 113
Benton Co.
Owensboro