RIGHT OF WAY
Mancos E & W

FEDERAL ROAD DIVISION NO.	DISTRICT	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLORADO	~~F 032-0010-28~~	1	

Rev. 2-21-58 (add Proj. No.) DWB. F 022-1(13) CONST.
CR 32-0010-29 R.O.W.

COLORADO
DEPARTMENT OF HIGHWAYS

PLAN AND PROFILE OF PROPOSED

FEDERAL AID PROJECT NO. F 022-1(13) Const.
CR 32-0010-29 R.O.W.

STATE HIGHWAY NO. 10

MONTEZUMA COUNTY

INDEX OF SHEETS

SHEET NO. 1. TITLE SHEET
2. TABULATION OF PROPERTIES
3-9. PLAN AND PROFILE SHEETS SHOWING RIGHT OF WAY
10. RIGHT OF WAY OWNERSHIP MAP

CONVENTIONAL SIGNS

CENTER LINE (to PLAN SHEET / TITLE SHEET)
RIGHT OF WAY LINE (R.O.W. MARKER)
COUNTY LINE
TOWNSHIP OR RANGE LINE
LAND LINES (SECTION LINE / 1/4 SECTION LINE / 1/16 SECTION LINE)
RAILROAD (TITLE SHEET / PLAN SHEET)
BARBED WIRE FENCE
COMBINATION WIRE FENCE
SNOW FENCE
TELEPHONE & TELEGRAPH LINES
POWER LINE
DETOUR
PRESENT ROAD (Plan Sheets)

SCALES OF ORIGINAL DRAWINGS

ON PLAN, 1 IN. - 100 FT.
ON PROFILE 1 IN. - 100 FT. HORIZONTAL
ON PROFILE 1 IN. - 10 FT. VERTICAL
GRADE LINE ON PROFILE IS SHOWN AS GRADE OF FINISHED ROAD
GROSS LENGTH OF PROJECT
NET LENGTH OF PROJECT

RIGHT OF WAY



C. P. HOECKEL CO., DENVER

R.O.W. TABULATION OF PROPERTIES IN MONTEZUMA COUNTY S.H. NO. 10 PR ~~CS 32-0010-28~~ F 022-1(13) CONST. CR 32-0010-29 R.O.W.

DIVISION	DISTRICT	PROJ NO	SHEET NO	TOTAL SHEETS
9	COLORADO	~~CS 32-0010-28~~ F022-1(13) Const. CR-32-0010-29 R.O.W.	2	

RIGHT OF WAY

Rev. 2-21-58 (add Proj. No.) DWB. Rev. 2-28-58 (Chg. on 20E) DWB. Mancos E & W
Rev. 1-29-86 Add AC - 23,24 E.M.

PARCEL NO.	OWNER	ADDRESS	LOCATION T.36N., R.13W., N.M.P.M.	AREA IN ACRES PARCEL	AREA IN ACRES TO BE ACQUIRED	REMARKS	ACC.
2	OWEN D. NOLAND	MANCOS, COLORADO	S.W. 1/4 SEC. 29	14.294	14.041	ALSO TEMP. EASEMENT No. E-28	
3	OWEN D. NOLAND	MANCOS, COLORADO	S.E. 1/4 SEC. 29	9.215	9.215	ALSO TEMP. EASEMENT Nos. E-3 & E-3-A & E-3-B	
4	THEO. L. THEISING	MANCOS, COLORADO	S.E. 1/4 SEC. 29	1.000	1.000		
5	T.C. & SARAH F. HONEY		S.W. 1/4 SEC. 28	1.148	1.148		
6	JEFFERSON D. BAKER		S.W. 1/4 SEC. 28	0.344	0.344		
7	ENIS J. HODGES		S.W. 1/4 SEC. 28	0.757	0.757		
7-A	MOISES & OPHELIA RIVERA	MANCOS, COLORADO	S.W. 1/4 SEC. 28	0.230	0.230		
7-B	ENIS J. HODGES		S.W. 1/4 SEC. 28	0.064	0.064		
8	TOWN OF MANCOS	MANCOS, COLORADO	S.W. 1/4 SEC. 28	6.495	6.495		
9	ROY GOODE	MANCOS, COLORADO	S.W. 1/4 SEC. 28	0.940	0.940	ALSO TEMP. EASEMENT No. E-9	
10	A.L. JEKYLL	MANCOS, COLORADO	S.W. 1/4 SEC. 28	0.373	0.373		
11	JAMES A. & FRANCES N. BARRETT	MANCOS, COLORADO	S.W. 1/4 SEC. 28	0.187	0.178		
12	HARRY L. & MABEL A. NORRIS	MANCOS, COLORADO	S.W. 1/4 SEC. 28	0.187	0.178		
13	TONY & DOROTHY TREVINO	MANCOS, COLORADO	S.E. 1/4 SEC. 28	0.045	0.045		
13-A	PAUL A. & AUDREY M. FRAZIER	MANCOS, COLORADO	S.E. 1/4 SEC. 28	0.045	0.045		
14	SHELLY & BLANCHE ALLEN		S.E. 1/4 SEC. 28	0.102	0.102		
15	JOHN H. ERVIEN		S.E. 1/4 SEC. 28	1.883	1.883		
15-A	KENNETH R. & MARY E. HOPPERTON	MANCOS, COLORADO	S.E. 1/4 SEC. 28	0.045	0.045		
16	BYRON D. BROWN		S.E. 1/4 SEC. 28	7.487	7.487	ALSO TEMP. EASEMENT No. E-16-A	
17	LOUIS or LORNA PAQUIN	MANCOS, COLORADO	S.W. 1/4 SEC. 27	7.985	7.985		
18	H.D. & BERNIECE BRADSHAW	MANCOS, COLORADO	S.W. 1/4 SEC. 27	1.255	1.255		
19	HARRY & BEATRICE MACE	MANCOS, COLORADO	S.E. 1/4 SEC. 27	2.972	0.883	ALSO TEMP. EASEMENT No. E-19-B	
20-A	EDITH & ROBERT GEORGE KEMPF	MANCOS, COLORADO	N.E. 1/4 SEC. 27	3.542	1.412		
20-B	DAVE W. & GRACE L. SWENK	MANCOS, COLORADO	N.E. 1/4 SEC. 27	0.359	0.115		
20-C	HARRY & BEATRICE L. MACE	MANCOS, COLORADO	N.E. 1/4 SEC. 27	1.640	0.472	ALSO TEMP. EASEMENT No. E-20-C	
20-D	A.J. REDD & K.S. SUMMERS	MANCOS, COLORADO	N.E. 1/4 SEC. 27	1.857	0.520		
21	KENNETH S. SUMMERS & A.J. REDD	MANCOS, COLORADO	N.W. 1/4 SEC. 26	2.345	0.762		
22	GEORGE F. & NELLIE ELIZABETH MAULER	MANCOS, COLORADO	N.W. 1/4 SEC. 26	1.911	0.642		
23	VERNA TOWNE, TRUSTEE	MANCOS, COLORADO	N.W. 1/4 SEC. 26	5.616	1.864	ALSO TEMP. EASEMENT No. E-23-B	
24	VERNA TOWNE, TRUSTEE	MANCOS, COLORADO	S.W. 1/4 SEC. 23	1.543	0.515	ALSO TEMP. EASEMENT No. E-24	
25	VERNA TOWNE, TRUSTEE	MANCOS, COLORADO	S.E. 1/4 SEC. 23	0.587	0.185		
18-A	H.D. & BERNIECE BRADSHAW	MANCOS, COLORADO	S.W. 1/4 SEC. 27	0.149	0.101		
19-A	HARRY & BEATRICE MACE	MANCOS, COLORADO	S.E. 1/4 SEC. 27	0.177	0.112		
20-E Rev.	DAVE W. & GRACE L. SWENK	MANCOS, COLORADO	N.E. 1/4 SEC. 27	0.105	0.038		
21-A	KENNETH S. SUMMERS & A.J. REDD	MANCOS, COLORADO	N.W. 1/4 SEC. 26	0.165	0.104		
9-A	HELEN PATON LOVETT		S.W. 1/4 SEC. 28	0.369	0.369		
11-A	JAMES B. COOK, Inc.		S.W. 1/4 SEC. 28	0.585	0.585		
E-2	OWEN D. NOLAND	MANCOS, COLORADO	S.W. 1/4 SEC. 29	0.303	0.303	PERMANENT EASEMENT No. E-2.	
E-2-A	OWEN D. NOLAND	MANCOS, COLORADO	S.W. 1/4 SEC. 29	2.110	2.110	PERMANENT EASEMENT No. E-2-A.	
E-8	ROY GOODE	MANCOS, COLORADO	S.W. 1/4 SEC. 28	0.458	0.458	PERMANENT EASEMENT No. E-8	
E-16	BYRON D. BROWN	MANCOS, COLORADO	S.E. 1/4 SEC. 28	0.723	0.723	PERMANENT EASEMENT No. E-16	
E-17	LOUIS or LORNA PAQUIN	MANCOS, COLORADO	S.W. 1/4 SEC. 27	1.393	1.393	PERMANENT EASEMENT No. E-17	
E-17-A	LOUIS or LORNA PAQUIN	MANCOS, COLORADO	S.W. 1/4 SEC. 27	1.952	1.952	PERMANENT EASEMENT No. E-17-A	
E-19	HARRY & BEATRICE L. MACE	MANCOS, COLORADO	S.E. 1/4 SEC. 27	0.162	0.162	PERMANENT EASEMENT No. E-19	
E-19-A	HARRY & BEATRICE L. MACE	MANCOS, COLORADO	S.E. 1/4 SEC. 27	0.103	0.103	PERMANENT EASEMENT No. E-19-A	
E-20-A	EDITH & ROBERT GEORGE KEMPF	MANCOS, COLORADO	N.E. 1/4 SEC. 27	0.689	0.689	PERMANENT EASEMENT No. E-20-A	
AC-23	DEER MOUNTIAN PROPERTIES, A GENERAL PARTNERSHIP	MANCOS, COLORADO	N.W. 1/4 SEC. 26	——	——		
AC-24	DEER MOUNTIAN PROPERTIES, A GENERAL PARTNERSHIP	MANCOS, COLORADO	S.W. 1/4 SEC. 23	——	——		

ADO DEPARTMENT OF HIGHWAYS
D.H. 134
54

RIGHT OF WAY
Mancos E & W

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~CS 32-0010-28~~	3	

Rev. 2-21-58 (add Proj No.) DWB.
Rev. 10-25-60 Add. Access. FCM

F 022-1(13) Const.
CR-32-0010-29 R.O.W.

SE 1/4 Sec. 30, T.36N. R.13W.

SW 1/4 Sec. 29, T.36N, R.13W.

CR-32-0010-29 R.O.W.
P.O.T. 0+00 - Project F022-1(13) Const. = S.T. 209+17.8 on F022-1(10)

P.O.T. 1+39.8
N. 0°15' E.

P.O.T. 6+14.5 = P.I. 203+27.8 on F022-1(10)

S.41°55'W. 103.1'

423.0'

479.3'

16'Op.

461.3'

R.O.W. Mk.

60"32" C.M.P.

N.55°57'E.

Present Road

M.S.T. & T. Co.

R.O.W. Mk.

R.O.W. along present fence

3'x8' Wood Flume

14' B.W. Gate Plank Bridge

Prop. Mk.

F.A.P. 294 AR
F.A.P. 213 C
F.A.P. 213 B Ext. R
F.A.P. 294 A

18"x70' C.M.P. w/ Hdw.

Public Op.

12' B.W. Gate

Begin Project
CS 32-0010-28
F 022-1(13) Const.
CR-32-0010-29 R.O.W.

P.O.T. 6+14.5
S.88°46'W.

P.I. 14+23.0
S.69°40'W.
146.0'

150'

125'

Draw

Draw

P.T.S. 11+56.3

S.C. 15+56.3

20' Temp. Easement for Intercepting Ditches
16'Op.

E-28 (Temp)

P.I. 22+04.0

Arc 1301.5

Arc 1192.7'
N. 57°16'E.
391.16'
348.0'

Δ = 32°56'30" RT.
Δc = 24°56'30"
D = 2°00'
Tc = 633.6'
Lc = 1247.1'
Rc = 2865.0'
Ts = 1047.7'
θs = 4°00'
L.S. = 400.0'
L.T. = 266.7'
S.T. = 133.4'

Note:
All Power Poles are Empire Electric R.E.A.

② OWEN D. NOLAND
Mancos, Colo.

E-2
E-2A
E-28

Point of Beginning
Parcel No. 2
Tie: S.28°15'W.-1326.9' to
SW Cor. Sec. 29

Easement for Channel Improvement

Point of Beginning
Parcel No. E-2A
Tie: S.45°48'W.-3110.0' to
S.W. Cor. Sec. 29

498.9'

N.25°21'E.

120°00'

E2-A

P.I.S. 29+36.1

N.85°29'W. 216.5'
294.0'

N.41°39'W.-413.1'

N.88°53'30"E.

Arc 122.4'

Arc 122.0'

97.8'

Plank Bridge

N.26°21'E.
167.7'

E-2

Chicken Creek

N.80°19'E.
274.7'

35'Op.

STA. 26+65 on ℄
STA. 5+15.5 on ℄

C.S. 28+03.4

Point of Beginning
Parcel No. E-2
Tie: S.47°57'W.-2827.8' to
S.W. Cor. Sec. 29

PLAN
SURVEYED
PLOTTED
NOTE BOOK
NO.

ALIGNMENT CHECKED
RT. OF WAY CHECKED
DATE
BY

PROFILE
SURVEYED
PLOTTED
GRADES CHECKED
NOTE BOOK
NO.
STRUCT. (IF NOT S.C.H. NO.)
DATE
BY

6970
6960
6950
6940
6930
6920
6910

506' V.C.

-2.30%

+0.5858%

0 5 10 15 20 25 30

1500 179 5 54
DENVER BLUE PRINT CO.

DO DEPARTMENT OF HIGHWAYS
M. 136
APR 29 196

RIGHT OF WAY

Mancos E & W

SE 1/4 Sec. 29, T. 36 N., R. 13 W.

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~CS 32-0010-28~~	4	

Rev. 2-21-58 (add Proj. No.) D.W.B.
Rev. 10-25-60 Add Access FCM

F 022-1(13) Const.
CR-32-0010-29 R.O.W.

④ THEO. L. THEISING
Mancos, Colo.

⑤ T. C. HONEY & SARAH F. HONEY
Mancos, Colo.

⑥ JEFFERSON D. BAKER
Mancos, Colo.

③ OWEN D. NOLAND
Mancos, Colo.

E-3
E-3A
E-3B

N.85°28'W. 116.5' — 96.5' — 93.0' — N.80°19'E. 120.8'

Point of Beginning
Parcel No. 3
Tie: N. 76° 37' E. - 2713.1' to
E 1/4 Cor. Sec. 29.

NORTH 117.63 BK. Sta. 32+03.4 = S.T. 32+03.4

E-3A (Temp)
20' Easement for Irrigation
1996.6'
N.88°53'30"E.

E-3 (Temp)
20' Easement for Irrigation
996.6'

E-3B (Temp)
1000.0'
N.88°53'30"E.
20' Easement for Irrigation Ditch

Note: Power Poles are Empire Electric REA.

S.74°51'W. 103.1' — 203.3'

P.O.T. 54+96.8
P.O.T. 55+64.0
P.O.T. 57+25.64

R.O.W. along present fence
Trailer House Conc. Slab
Town Limits
15' Easement
Well
Coal House
Frame House
Wood Bldg.
Trailer House
Power Sub Station

S.88°46'W. 217.8'
N.88°46'E. 217.8'
N.88°30'E. 199.4'
North 198.6'
101.4'
101.9'
98.2'
98.7'
102.5'
250.0'
250.0'
75.0'
75.0'

Pt. of Beg. E-8
Tie North - 382.1'
W. 1/4 Cor. Sec. 28

Point of Beginning
Parcel No. 4
Tie: N. 20° 55' E. - 628.3' to
E 1/4 Cor. Sec. 29.

Point of Beginning
Parcel No. 6
Tie: N. 22° 53' W. - 626.1' to
W. 1/4 Cor. Sec. 28

Point of Beginning
Parcel No. 5
Tie: N. 0° 38' E. - 582.2' to
E. 1/4 Cor. Sec. 29.

Corporate Limits Town of Mancos
Spruce Street

℄ SURVEY
P.O.T. 43+79.2
82.16'
89°45'
R.O.W. Marker on West City Limits & North Property Line of Grande Ave.
℄ Present
35'
Highway

℄ Survey
90°11'
55+04.0

PLAN
SURVEYED
PLOTTED
NOTE BOOK
GRADES CHECKED
BY
NO.

PROFILE
SURVEYED
PLOTTED
NOTE BOOK
GRADES CHECKED
BY
NO.
STRUCTURES (NOTAT NS CH +10)



1500 173 5-54
DENVER BLUE PRINT CO

RIGHT OF WAY

Mancos E & W

Rev. 7-7-65 Deleted Access on 9A V.R.
Rev. 10-25-60 Add Access FCM

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~FS 32000-28~~	5	

Rev 2-21-58 (add Proj. No.) D.W.B.

F 022-1(13) Const.
CR-32-0010-29 R.O.W.

SW 1/4 Sec. 28, T. 36 N., R. 13 W.

N

⑦ ENIS J. HODGES
Mancos, Colo.

⑦A MOISES RIVERA & OPHELIA RIVERA
Mancos, Colo.

⑦B ENIS J. HODGES
Mancos, Colo.

⑧ TOWN OF MANCOS

⑨ ROY GOODE
Mancos, Colo.

⑨A HELEN PATON LOVETT
Mancos, Colo.

⑩ A.L. JEKYLL
Mancos, Colo.

⑪A JAMES B. COOK, INC.
Mancos, Colo.

⑪ JAMES A. BARRETT & FRANCES N. BARRETT
Mancos, Colo.

⑫ HARRY L. NORRIS & MABEL A. NORRIS
Mancos, Colo.

⑬ TONY TREVINO & DOROTHY TREVINO
Mancos, Colo.

⑬A PAUL A. FRAZIER & AUDREY M. FRAZIER
Mancos, Colo.

⑭ SHELLY ALLEN & BLANCHE ALLEN
Mancos, Colo.

⑮ JOHN H. ERVIEN & PERRY W. SATZINGER
Mancos, Colo.

⑮A KENNETH R. HOPPERTON & MARY E. HOPPERTON
Mancos, Colo.

⑯ BYRON D. BROWN
Mancos, Colo.

P.O.T. 63+56.0

E-8-PERM.

E-9-TEMP.

E-16

R.O.W. along present fence

Point of Beginning Parcel No. 9
Tie: N. 74° 52' W. - 1371.7' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 9A
Tie: N. 81° 24' W. - 2274.4' To W. 1/4 Sec. 28

S.88° 46'W — 776.9' — S.88° 54'W — 924.8' — N.88° 46'E. — 924.8' — 375.0' — 375.0'

N.88° 53' 30" E. — 1279.7'

Service Road — Proposed Street — Garage — 20' Easement — 15' Easement — 40' Water Line — 2.17° Weed Div. — 35 Op. — 18" Culvert

Pepot — House — Ware House — Warehouse — Frame Bldg. — Rock Fence — Shed — Cinder Block Building — Garage — Frame Bldg. — House — House

6" Water Main — 6" and 2½" Water Lines — 2½" Water Line — 8" Water Main — 8" Sewer Line — 4" Sewer Line — 4" Water Line (to be abandoned) — 4" Water Line — 12" Water Gate — 2½" Water Gate — 4" Water Gate — 6" Water Gate — 8" Water Gate — 8" Valve — 4" Valve — 2½" Valve — Fire Hydrant — Manhole — Sidewalk

P.O.T. 84+11.7 — P.O.T. 84+11.7 — 957.9' — 2-8" Water Main — 15' Easement for Irrigation — E-16 (Perm)

Point of Beginning Parcel No. 13
Tie: N. 82° 09' W. - 2710.0' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 13-A
Tie: N. 82° 53' W. - 2856.8' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 15-A
Tie: N. 83° 17' W. - 3004.9' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 14
Tie: N. 80° 27' E. - 2179.0' to E. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 15
Tie: N. 82° 09' W. - 2710.0' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 16
Tie: N. 78° 48' W. - 2739.0' to W. 1/4 Cor. Sec. 28

Point of Beginning E-16
N 79° 07' 30" W - 2812.4' to W1/4 Cor. Sec. 28

N. Main Street — S. Main Street — GRAVEL ROAD

B A U E R ' S — S E C O N D — S U B - D I V I S I O N

Point of Beginning Parcel No. 7
Tie: N. 28° 58' W - 657.4' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 7A
Tie: N. 40° 13' W. - 748.6' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 8
Tie: N. 55° 56' W. - 660.8' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 7-B
Tie: N. 43° 04' W. - 781.1' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 11
Tie: N. 74° 03' W. - 1969.7' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 10
Tie: N. 76° 51' W. - 2343.2' to W. 1/4 Cor. Sec. 28

Point of Beginning Parcel No. 12
Tie: N. 75° 21' W - 2125.5' to W. 1/4 Cor. Sec. 28

Willow Street — Oak Street — Beach Street — First Avenue — Walnut Street — Mesa Street

R.O.W. along Block Line — Frame Bldg. — N.01° 14' W. — 766.8' — 1293.0' — N.88° 46' E. — 510.0' — 510.0' — 162.5' — 162.5' — 325.0'

PLAN — SURVEYED — DRAWN — GRADES CHECKED — IF M & N NOTED STRUCTURE NOTES VS CONTROL — NOTE BOOK — PLOTMENT CHECKED — NO. — R/W OF WAY CHECKED — DATE — BY

P.O.T. 84+11.7
℄ Survey
95° 33'
N. Main W. Property Line
816.3'
Grande Ave N. Property Line

Do not lower Grade

+1.8778%

+1.4636%

200' V.C.

95.78

40.88 — 42.85 — 45.46 — 55.02

Fl. Rdwy. 70

7060 — 7050 — 7040 — 7030 — 7020 — 7010 — 7000 — 6990

60 — 65 — 70 — 75 — 80 — 85 — 90

PROFILE — SURVEYED — DRAWN — GRADES CHECKED — IF M & N NOTED STRUCTURE NOTES VS CONTROL — NOTE BOOK — NO. — DATE — BY

1500 378 5-56
DENVER BLUE PRINT CO.

SE 1/4 Sec. 28, T. 36N, R. 13 W.

SW 1/4 Sec. 27, T. 36N, R. 13 W.

RIGHT OF WAY Mancos E & W

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~CS 32-0010-28~~	6	

Rev. 2-21-58 (add Proj. No.) DWB.
Rev. 10-25-60 Add Access FCM

F022-1(13) Const.
CR-32-0010-29 R.O.W.

(15) JOHN H. ERVIEN & PERRY W. SATZINGER
Mancos, Colo.

(16) BYRON D. BROWN
Mancos, Colo.
E-16
E-16 A

(17) LOUIS PAQUIN or LORNA PAQUIN
Mancos, Colo.
E-17
E-17A

P.O.T. 96+09.2

P.O.T. 110+05.9

P.C. 117+49.2

1178.2'

894.7'

739.6'

738.9'

1389.2'

1389.2'

957.9'

1541.4'

319.4'

22.0'

N. 79° 20' E.

N. 88° 53' 30" E.

S. 01° 23' E.

35' Op

Public Op

Wood Div. Box

Wire Fence

14' Board Gate

8' Board Gate

Plank Bridge

Ditch Box

Lee Ditch, Cap. = 9.0 sec. ft.

11' Board Gate

Cmt. Flume 100

N. 74° 51' E.

103.1'

8' Water Main from Reservoir

15' Easement for Irrigation

E-16 (Perm)

20' Easement for Irrigation

E-16A (Temp.)

Note: Power Poles are Empire Electric R.E.A.

City Limits-Town of Mancos

GRAVEL ROAD

Point of Beginning
Parcel No. 17
Tie: N. 01° 23' W. - 456.7' to E. 1/4 Cor. Sec. 28

110+10

90° 16'

90 95 100 105 110 115 120

7110 7100 7090 7080 7070 7060 7050

P.I. 7069.80

+2.46367%

+1.55227%

35.02

64.97

69.34

72.90

400' V.C.

N.P.S.D. = >800

500' V.C.

0.162

96.77

69.55

69.09

P.I. 7105.50

PLAN
DRAWN
PLOTTED
NOTE BOOK
NO. 12565
CROSS CHECKED
STRUCTURE NOTES CHKD.
J.M. Vasquez
4/25/56

PROFILE
DRAWN
PLOTTED
NOTE BOOK
NO. 12565
GRADES CHECKED
STRUCTURE NOTES CHKD.
DATE 12-12-56
BY W.M. Rodriguez

1500 379 5-54
DENVER BLUE PRINT CO

D DEPARTMENT OF HIGHWAYS
I. 134 ©

RIGHT OF WAY

Mancos E&W

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~CS 32-0010-28~~	7	

Rev. 2-21-58 (add Proj. No.) IWB. F 022-1(13) Const
Rev. 10-25-60 Add Access FCM CR-32-0010-29 R.O.W.

NE 1/4 Sec. 27, T. 36N, R. 13W.

Point of Beginning
Parcel No. E-17
Tie: N. 64° 58' W. - 1030.9' to W. 1/4 Cor. Sec. 27

Point of Beginning
Parcel No. E-17A
Tie: N. 75° 51' W. - 1131.7' to W. 1/4 Cor. Sec. 27

Point of Beginning
Parcel No. 20-A, E 20A, E19 A
Tie: East - 2063.6' to E. 1/4 Cor. Sec. 27

Δ = 27° 38' 30" L.T.
D = 0° 48'
T = 1762.0'
L = 3455.2'
R = 7162.5'

N

Easement for Channel Improvement
S. 59° 28' 30" W. 607.0'
N. 30° 31' 30" W. 2683
Mancos River
E-17A (Perm.)
Arc 664.0'
Arc 1678.4'
Arc 667.3'
Arc 305.5'
189.5'
43° 34'
29° 25'
E-17 (Perm.)
420.4'
N. 45° 20' E
S. 13° 41' E
149.1'
75.6'
4+00 on Base Line = P.O.S.T. 12H 55.2
82.03
1163.3'
N. 65° 00' E.
1432.7
N. 68° 22' E
Present Road
S. 70° 27' W.
115.2'
N. 88° 53' 30" E.
Note: Power Poles are Empire Electric R.E.A.
35' Op.
16' Op.
Arc 659.9'
E-19A (Perm.)
15' Easement for Irrigation
Arc = 792.3'
E-20A (Perm.)
Arc = 623.6'
Smith Ditch
19 L.S.
372.9'
168.4'
20A
20C
Drain Ditch
E-20C (Temp.)
20' Easement for Irrigation
P.O.C. 145 + 80.4' WEST
Arc 1064.6'
M.S.T. & T. CO.
E-19B (Temp.)
E-19 (Perm.)
N. 61° 15' E.
Point of Beginning
Parcel No. 20-C
Tie: East - 1690.7' to E. 1/4 Cor. Sec. 27
Point of Beginning
Parcel No. 19-19A & 18A, E-19
Tie: N. 87° 00' W. - 2677.6' to W. 1/4 Cor. Sec. 27
Point of Beginning
Parcel No. 18
Tie: N. 67° 34' W. - 1452.0' to W. 1/4 Cor. Sec. 27
P.O.C. 137 + 14.0'
NORTH
Pl. 135 + 11.2
Public Op
E-17 LOUIS or LORNA PAQUIN
E-17A
(18) H. D. BRADSHAW & BERNIECE BRADSHAW
(18A) Mancos, Colo.
(19) HARRY MACE & BEATRICE L. MACE
(19A) Mancos, Colo.
E-19
E-19A
E-19B
(20A) EDITH KEMPF & ROBERT GEORGE KEMPF
Mancos, Colo.
E-20A
(20C) HARRY MACE & BEATRICE L. MACE
Mancos, Colo.
E-20C
SW 1/4 Sec. 27, T. 36N, R. 13W.
SE 1/4 Sec. 27, T. 36N, R. 13W.

PLAN
SURVEYED — DATE 12-23-58
P. 110 — BY A.R. Vasquez
NOTE BOOK, ALIGNMENT CHECKED
NO. 1944 RT. OF WAY CHECKED

Truck Passing Lane Req'd.

Transition

7150
7140
7130
7120
7110
7100
7090
45.00
14.48
09.55
09.09
+3.5905%
7150
7140
7130
7160
7150
7140
45.00
+3.5905%
Move Ditch
66.54
800' V.C.
N.R.S.D. = 730'
Pl. 7180.90
28.73
86.60
95.15
+1.4275%
7190
7180
7170
7160
7150
7140
120
125
130
135
140
145
150

PROFILE
SURVEYED — DATE 12-23-58
P. 110 — BY A.R. Vasquez
NOTE BOOK GRADES CHECKED
NO. 1944 STRUCTURE NUTA-765 CHKD.

1500 379 5-61
DENVER BLUE PRINT CO

COLORADO DEPARTMENT OF HIGHWAYS

RIGHT OF WAY Mancos E & W

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~CS 32-0010-28~~	8	

Rev. 2-21-58 (add Proj. No.) DWB.
Rev. 2-28-58 (Chg. on 20E) DWB.
Rev. 10-25-60 Add Access F.C.M.
Rev. 1-28-86 CLOSED ACCESS Rt. Sta. 179+50 E.M.

F022-1(13) Const.
CR-32-0010-29 R.O.W.

NE 1/4 Sec. 27 T. 36N., R. 13W.

NW 1/4 Sec. 26 T. 36N., R. 13W.

N

E-20A(Perm.)

15' Easement for Irrigation Ft.

P.T. 152+04.4

P.O.T. 157+17.7

Note: Power Poles are Empire Electric REA.

Point of Beginning
Parcel No. 20-B
Tie: S. 10° 33' E.-998.2' to
E. 1/4 Cor. Sec. 27

Point of Beginning
Parcel No. 20-E Rev.
Tie: S. 7° 04' E.-1020.5' to
E. 1/4 Cor. Sec. 27

Point of Beginning
Parcel No. 21-A
Tie: S. 05° 46' W.-1150.9' to
W. 1/4 Cor. Sec. 26

Point of Beginning
Parcel No. 22
Tie: S. 18° 26' W.-1395.0' to
W. 1/4 Cor. Sec. 26

P.T. 175+18.1

T.S. 177+51.5

Arc 792.3'
Arc 623.6'
Arc 464.0'
464.4'
333.1'
1330.2'
1289.0'
1033.3'
1123.3'
N. 61° 15' E.
N. 31° 30' E
503.1'
505.2'
228.4'
S. 59° 55' W.
N. 60° 45' W.
103.4'
131.4'
208.6'
858.9'
231.8'
N. 59° 54' E
N. 59° 54' E.
260.1'

Point of Beginning
Parcel No. 20-D
Tie: S. 69° 24' E.-1052.1' to
E. 1/4 Cor. Sec. 27

Point of Beginning
Parcel No. 21
Tie: SOUTH-910.5' to
W. 1/4 Cor. Sec. 26

P.O.T. 167+02.0 NORTH

P.O.T. 173+83.0 WEST

P.O.T. 179+35.6 NORTH

Point of Beginning
Parcel No. 23
Tie: S. 35° 39' W.-1855.7' to
W. 1/4 Cor. Sec. 26

(200) A.J. REDD & K.S. SUMMERS, Mancos, Colo.

(20B) (20E) Rev. DAVE W. SWENK & GRACE L. SWENK, Mancos, Colo.

(21) (21A) KENNETH S. SUMMERS & A.J. REDD, Mancos, Colo.

(22) GEORGE F. MAULER & NELLIE ELIZABETH MAULER, Mancos, Colo.

(23) VERNA TOWNE, Trustee, Mancos, Colo.

Weber Ditch

Mail Boxes

16' OR CLOSED

PLAN
SURVEYED
PLOTTED
NOTE BOOK
W.O. 1948

PROFILE
SURVEYED
PLOTTED
NOTE BOOK
W.O. 1948

Do not lower Grade

Siphon

+1.42 5%
+0.35 79%
+2.00 5%

P.I. 1160+00.00
P.I. 1170+00.00

400' V.C.
K.P.S.D. = > 800

600' V.C.

95.15
97.17
96.72
23.23
95.17
13.76
31.67

7240
7230
7220
7210
7200
7190

150 155 160 165 170 175 180

1500/539 5-54
DENVER BLUE PRINT CO.

DO DEPARTMENT OF HIGHWAYS

RIGHT OF WAY Mancos E & W

FED. ROAD DIV. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
9	COLO.	~~CS-32-0010-28~~	9	

Rev. 2-21-58 (add Proj. No.) D.W.B.
Rev. 10-25-60 Add Access F.C.M.
Rev. 1-28-86 Add AC-23 & 24 E.M.

F 022-1(13) Const.
CR-32-0010-29 R.O.W.

NW 1/4 Sec. 26, T. 36N, R. 13W.

SW 1/4 Sec. 23, T. 36N, R. 13W.

SE 1/4 Sec. 23, T. 36N, R. 13W.

Δ = 15°03'L
Δc = 7° 03'
D = 2°00'
Tc = 176.5'
Lc = 352.5'
R = 2865.0'
Ts = 578.7'
θs = 4°00'
L.S. = 400.0'
L.T. = 266.7'
S.T. = 133.4'

S.59° 55'W.-166.3'
S.53° 44'W.-343.1'
S. 47° 32'W.-394.1'
N.46° 12'E.
Arc 361.7'
N. 47° 33'E.-405.1'
587.8'
598.1'
744.2'
297.9'
153.9'
103.7'
N.37° 02'E

E-23B (Temp.)
E-24 (Temp.)

20' Easement for Irrigation
Weber Ditch
3'x4' C.B.C.
35' Dip
18"x20' C.M.P.
18"x34' C.M.P.
24"x46' C.M.P.
24"x54' C.M.P.
18"x48' C.M.P.
18"x48' C.M.P. R.O.W. Mkr.
Mail Box
Pipe Flume
4'-8"W. Gate Closed
4'-8"W. Gate
R.O.W. Mkr.
Cons. & Vent
AC-23 Rt. Sta. 185+00 35'
AC-24 Rt. Sta. 199+46

P.I.S. 180 + 18.2
P.I. 183 + 30.2
P.I.S. 186 + 37.3
S.C. 181 + 51.5
C.S. 185 + 04.0
S.T. 189 + 04.0
P.O.T. 200 + 64.3
P.O.T. 201 + 93.0 - Project F022-1(13) = - 74+90 on F022-1(9)
P.O.T. 200 + 18.0 NORTH
P.O.T. 195 + 70.0 WEST

Point of Beginning
Parcel No. 24
Tie: EAST-431.7' to
S.1/4 Cor. Sec. 23

Point of Beginning
Parcel No. 25
Tie: SOUTH-206.9' to
S. 1/4 Cor. Sec. 23

Note: Power Poles are Empire Electric R.E.A.

Bearing Equation
N. 46° 12' E. Bk. =
N. 46° 15' E. Ah.

To Durango

End Project

(23) VERNA TOWNE, Trustee
Mancos, Colo.
E-23B
AC-23
Deer Mountain Properties, a General Partnership

(24) VERNA TOWNE, Trustee
Mancos, Colo.
E-24
AC-24
Deer Mountain Properties, a General Partnership

(25) VERNA TOWNE, Trustee
Mancos, Colo.

PLAN
PROFILE
NOTE BOOK
NO.

7280
7270
7260
7250
7240
7230
7220

180
185
190
195
200

800' V.C.
400' V.C.
N.R.S.D. = 600'
+1.20%
+2.98%
+2.23%
Ditch Crossing
P.I. 7249.60
P.I. 7253.20
48.40
54.23
42.12
42.71
46.00
37.64
31.67

DENVER BLUE PRINT CO.

IT IS ESTIMATED THAT MATERIAL FOR SUB-BASE MATERIAL ~~AND SURFACING~~ FOR THE PROJECT IS AVAILABLE IN THE VICINITY OF THE PIT INDICATED IN THE FOLLOWING TABULATIONS. ESTIMATED QUANTITIES INVOLVED IN THESE OPERATIONS ARE SHOWN BELOW.

ALTERATION OF THE SUB-BASE MATERIAL ~~AND SURFACING~~ PLANS, AS HERE OUTLINED, WILL BE ALLOWED ONLY ON WRITTEN PERMISSION FROM THE DEPARTMENT.

SUB-BASE MATERIAL PLAN

MATERIAL TO BE PLACED	SOURCE AVAILABLE	QUANTITY				TON MILE OVERHAUL			
		THICKNESS	CLASS 2 TONS			TON MILES			
			24'	36'	48'	24'	36'	48'	
0+00 TO 11+56.3 FOR IRREGULARITIES FROM LIST OF STRUCTURES	PIT NO. 1 2.63 MI. FROM STA. 0+00	9"			3,920 392 1,225			10,737 1,074 3,356	
130+00 TO 148+00 FOR IRREGULARITIES FROM LIST OF STRUCTURES	85,000 CU. YDS.	6"		2,754 275 1,200			14,495 1,448 7,369		
ℓ 11+56.3 TO 20+06.3 20+06.3 TO 106+36 106+36 TO 121+10 (BRIDGE)	R = 68	9" 9" 16"	2,414 14,930 7,267			7,071 57,138 34,766			
122+64.3 TO 130+00 148+00 TO 201+93 ESTIMATED FOR: * Frontage Roads: 43+80 to 93+10 Rt. 83+75 to 93+10 Lt.		16" 9" 6" 6"	3,627 9,330 7,823 1,534			18,215 55,458 30,839 6,604			
Acceleration & Deceleration Lanes Transitions: 124 to 130 & 148 to 154 FOR IRREGULARITIES FROM LIST OF STRUCTURES			483 180 4,759 900			2,068 948 22,425 3,299			
TOTAL, 24' ROADWAY			53,247			238,831			
TOTAL, 36' ROADWAY				4,229			23,312		
TOTAL, 48' ROADWAY					5,537			15,167	

BASED ON DESIGN CURVE E.
* BASED ON DESIGN CURVE C.
ℓ INCLUDES TRANSITION

R.O.W. MARKERS

STATION	SIDE	24' ROADWAY		36' ROADWAY		48' ROADWAY	
		REMOVE	NEW	REMOVE	NEW	REMOVE	NEW
0+00	RT. & LT.						2
4+67	LT.					1	
T.S. 11+56.3	RT. & LT.		1				1
S.T. 32+03.4	RT. & LT.		2				
54+00	RT. & LT.		2				
85+00	RT. & LT.		2				
P.C. 117+49.2	RT. & LT.		2				
137+22	RT.			L			
137+52	LT.			1			
P.T. 152+04.4	RT. & LT.		2				
T.S. 177+51.5	RT. & LT.		2				
S.T. 189+04.0	RT. & LT.		2				
195+19	LT.	1					
199+64	RT.	1					
200+64	LT.	1					
201+93.0	RT. & LT.		2				
TOTALS		3	17	2		1	3

9	COLORADO	F 022-1(13)	10	

(FUTURE CONSTRUCTION)
TIMBER GUARD POSTS

STATION	SIDE	SPACING	24' ROADWAY	36' ROADWAY	48' ROADWAY
7+ INTERSECTION SEE DETAIL SHEET NO. 687			18		
20+ TO 33+	LT. & RT.	2*	30		
21+	LT. & RT.	CULVERT	2		
24+	LT. & RT.	CULVERT	2		
26+	LT. & RT.	CULVERT	2		
30+00	LT. & RT.	CULVERT	2		
30+25	LT. & RT.	CULVERT	2		
36+	LT. & RT.	CULVERT	2		
41+	LT. & RT.	CULVERT	2		
57+	LT. & RT.	CULVERT	4		
83+ INTERSECTION SEE DETAIL SHEET NO. 8			37		
93+ INTERSECTION SEE DETAIL SHEET NO. 8			26		
94+	LT. & RT.	CULVERT	2		
100+	LT. & RT.	CULVERT	2		
103+	LT. & RT.	CULVERT	2		
106+	LT. & RT.	CULVERT	2		
110+	LT. & RT.	CULVERT	2		
111+ TO 157+	LT. & RT.	1*	48	40	
114+	LT. & RT.	CULVERT	2		
119+	LT. & RT.	CULVERT	2		
121+ TO 122+	LT. & RT.	BRIDGE	20		
125+	LT. & RT.	CULVERT	2		
135+	LT. & RT.	CULVERT		2	
135+ INTERSECTION SEE DETAIL SHEET NO. 9				54	
141+	LT. & RT.	CULVERT		2	
159+	RT.	CULVERT	1		
173+	LT. & RT.	CULVERT	2		
176+ TO 190+	LT. & RT.	2*	24		
182+	LT. & RT.	CULVERT	2		
194+	LT. & RT.	CULVERT	2		
199+	LT. & RT.	CULVERT	2		
201+	LT. & PT.	CULVERT	2		
TOTALS			248	98	

(FUTURE CONSTRUCTION)
SURFACING PLAN

MATERIAL TO BE PLACED	SOURCE AVAILABLE	QUANTITY IN TONS									OVERHAUL TON MILES									
		PLANT MIX			BOTTOM COURSE GRADING B			BOTTOM COURSE GRADING C			PLANT MIX			BOTTOM COURSE GRADING B			BOTTOM COURSE GRADING C		
		24'	36'	48'	24'	36'	48'	24'	36'	48'	24'	36'	48'	24'	36'	48'	24'	36'	48'
0+00 TO 11+56.3 ℓ 11+56.3 TO 20+06.3 20+06.3 TO 121+10	PIT NO. 1 2.63 MI. FROM STA. 0+00	723 6,467		1,099	1,029 10,508		1,504	510 5,153		752	2,118 25,655		3,011	3,014 41,686		4,120	1,494 20,442		2,060
BRIDGE 122+64.3 TO 130+00	85,000 CU. YDS.	471			766			376			2,366			3,847			1,889		
130+00 TO 148+00			1,440			2,106			1,044			7,579			11,084			5,495	
148+00 TO 201+93	"R"=80 FOR GRADING C	3,452			5,609				2,751		20,519			33,340			16,352		
ESTIMATED FOR: Frontage Roads: 43+80 to 93+10 Rt. 83+75 to 93+10 Lt.	"R"=72 FOR GRADING B	1,527 300			3,244 636			1,574 309			6,020 1,292			12,788 2,738			6,205 1,331		
Acceleration & Deceleration Lanes Bridge Widening Transitions: 124 to 130 & 148 to 154		220 11 96			214 78			112 42			942 55 506			916 411			480 221		
Median FROM LIST OF STRUCTURES		392	440	37 350	380	900	580	1,100	475	290	1,848	2,316	101 959	1,791	4,737	1,589	4,712	2,500	795
TOTAL, 24' ROADWAY		13,659			22,464			9,176			61,321			100,531			53,126		
TOTAL, 36' ROADWAY			1,880			3,006			4,270			9,895			15,821			7,995	
TOTAL, 48' ROADWAY				1,486			2,084			1,042			4,071			5,709			2,855

DETAIL OF JOINT FOR CONCRETE BOX CULVERT EXTENSION STA. 182+



Note:
The cost of removing Headwall and cutting Keyw... be paid for at unit price bid for "Remove Hea... and Cut Key, Way."
Place one dowel at each U Bar shown on 36" M... Dowel Bars are to be grouted in place by a cement gro... of one part cement and two parts clean, well graded ... cost of drilling holes and placing dowels is to be ... in payment for "Reinforcing Steel."