

Colorado Department of Transportation



2000 South Holly
Denver, CO 80222
Phone: 303-757-9922 FAX: 303-757-9390

Region 6

PED

Sheet Revisions

Date	Description	Initials

Sheet Revisions

Date	Description	Initials

SEC. 32 & 33 T3S, R68W SEC. 3-10, 15,
16 & 22, T4S, R68W OF THE 6TH P.M.,
CITY & COUNTY OF DENVER, COLORADO



8055 EAST TUFTS AVENUE, SUITE 850
DENVER, COLORADO 80237
(303) 692-8838 / (303) 692-0470 Fax
www.f-w.com

Land Survey Control Diagram

Control Diagram

Project Number: .

Project Location: 6TH Avenue & FederalBoulevard

Project Location: Denver Colorado

Project Code:	Last Mod. Date	Subset Sheets	Sheet No.
16628	07-30-09	1 of 5	3.01

DEPARTMENT OF TRANSPORTATION – STATE OF COLORADO
SURVEY CONTROL DIAGRAM

CENTRAL PLATTE VALLEY CORRIDOR STUDY

I-25 FROM SOUTH LOGAN STREET TO WEST COLFAX AVENUE; 6TH AVENUE FROM I-25 TO SOUTH NEWTON STREET; US HIGHWAY 85 FROM I-25 TO WEST JEWELL AVENUE
LOCATED IN SECTIONS 32 AND 33 TOWNSHIP 3 SOUTH, RANGE 68 WEST AND SECTIONS 3-10, 15, 16 AND 22, TOWNSHIP 4 SOUTH, RANGE 68 WEST OF THE 6TH PRINCIPAL MERIDIAN,
CITY AND COUNTY OF DENVER, STATE OF COLORADO

NOTES

1. THIS SURVEY IS NOT A COMPLETE BOUNDARY SURVEY OR RIGHT-OF-WAY SURVEY AND IS PREPARED FOR CDOT PROJECT CONTROL PURPOSES ONLY.
2. NOTICE: ACCORDING TO COLORADO LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE OF THE CERTIFICATION SHOWN HEREON.
3. NO WARRANTY IS IMPLIED OR EXPRESSED UNLESS THIS SHEET BEARS THE ORIGINAL SIGNATURE AND SEAL OF THE PREPARER.
4. FIELD SURVEY CONTROL PRECISION MEETS OR EXCEEDS CDOT TYPE "A" SURVEY REQUIREMENTS.
5. BASIS OF BEARINGS: A BEARING OF N43°45'07"W BETWEEN COLORADO HIGH ACCURACY REFERENCE NETWORK (HARN) STATIONS "TRANSPORTATION" & "MCDONNELL" WAS UTILIZED AS THE BASIS OF BEARINGS FOR THIS SURVEY. SAID BEARING IS THE PROJECT GRID BEARING BETWEEN SAID STATIONS BASED ON NAD 83/92 MODIFIED COLORADO STATE PLANE COORDINATE SYSTEM (CENTRAL ZONE).
6. THIS SURVEY CONTROL DIAGRAM IS BASED ON THE STATE OF COLORADO HIGH ACCURACY REFERENCE NETWORK (HARN) POINTS "TRANSPORTATION", "MCDONNELL", "RUBY", "MOE" AND "LARRY" FOR HORIZONTAL VALUES.
7. BASIS OF ELEVATIONS: NATIONAL GEODETIC SURVEY BENCH MARK "K 394" (NOT SHOWN), ELEV = 5242.47' (NAVD '88). ELEVATIONS FOR SET POINTS WERE DETERMINED BY DIFFERENTIAL LEVELING. ELEVATIONS FOR FOUND POINTS REFLECT GPS OR RECORD VALUES.
8. STATE PLANE COORDINATES WERE MODIFIED TO THE SURFACE VIA A USER-DEFINED OBLIQUE MERCATOR PROJECTION (METHOD 2) SHOWN BELOW. THIS PROJECTION IS AVAILABLE IN TRIMBLE NAVIGATION SOFTWARE (TRIMNET ADJUSTMENT). THIS METHOD WAS SELECTED AFTER CAREFUL ANALYSES AND COMPARISON OF KNOWN SURFACE DISTANCES THROUGHOUT THE CORRIDOR. THE RESULTS INDICATE A MAXIMUM HORIZONTAL AND VERTICAL ERROR OF ± 0.10' WITH A 95% CONFIDENCE. THE FALSE NORTHING AND EASTING WERE UTILIZED IN ORDER TO AVOID ANY CONFUSION WITH STATE PLANE VALUES.
9. "BM SURVEY" REFERENCES THE SURVEY CONTROL DIAGRAM FOR CDOT PROJECT NUMBER IM 0252-315, PREPARED BY BENCHMARK SURVEYING.
10. "KM SURVEY" REFERENCES THE CONTROL AND MONUMENTATION SHEET FOR CDOT PROJECT NUMBER STA 0062-010, PREPARED BY KIRKHAM MICHAEL.
11. "MERRICK SURVEY" REFERENCES THE CONTROL AND MONUMENTATION SHEET FOR CDOT PROJECT NUMBER NH-IR 25-2 (174), PREPARED BY MERRICK.

SURVEYORS STATEMENT

I, TERRY R. MAW, A PROFESSIONAL LAND SURVEYOR IN THE STATE OF COLORADO, HEREBY STATE THAT THIS SURVEY CONTROL DIAGRAM ALONG I-25 FROM WEST COLFAX AVENUE TO SOUTH LOGAN STREET, WEST SIXTH AVENUE FROM I-25 TO SOUTH NEWTON STREET AND US HIGHWAY 85 FROM I-25 TO WEST JEWELL AVENUE WAS PREPARED UNDER MY SUPERVISION FROM A FIELD SURVEY PERFORMED UNDER MY SUPERVISION AND CHECKING BETWEEN FEBRUARY 5, 2002 – FEBRUARY 25, 2002, AND MARCH 21, 2008 – MAY 2, 2008. THIS IS NOT A LAND SURVEY PLAT OR RIGHT-OF-WAY SURVEY PLAT AND TO THE BEST OF MY KNOWLEDGE AND BELIEF THIS CONTROL SURVEY, AS SHOWN, MEETS THE MINIMUM HORIZONTAL CONTROL TOLERANCES OF A TYPE "A" SURVEY AS LISTED IN THE COLORADO DEPARTMENT OF TRANSPORTATION SURVEY MANUAL, CHAPTER THREE (3) REVISED APRIL 29, 1992.


TERRY R. MAW, LS 31161
FOR AND ON BEHALF OF
FARNSWORTH GROUP, INC.

FILING CERTIFICATE

DEPOSITED THIS _____ DAY OF _____, 2002, AT _____ O'CLOCK ____M. IN BOOK _____ OF THE COUNTY SURVEYOR'S LAND SURVEY OFFICE AT PAGE _____, UNDER RECEPTION NO. _____

COUNTY SURVEYOR

DEPUTY



CONVERSION NAD 83/92 TO PROJECT COORDINATES
PROJECTION: USER-DEFINED OBLIQUE MERCATOR
ZONE = I-25 CORRIDOR
LATITUDE OF CENTRAL POINT = N39°38'20.804470"
LONGITUDE OF CENTRAL POINT = W104°54'49.026200"
CENTRAL POINT FALSE NORTHING = 656166.6667
CENTRAL POINT FALSE EASTING = 984250.0000
AZIMUTH OF ROTATED MERIDIAN = + 00°22'11.369100"
SCALE ALONG ROTATED MERIDIAN = 1.000263782082
UNITS ARE U.S. SURVEY FEET.

j:\yourgues 2:09:42 PM P:\4 DIGIT\3925.DM\JM02 - 6th And Federal\16628.RDW_Survey\Drawings\16311SURV_Plan\SCD_Title.dgn

Colorado Department of Transportation



2000 South Holly
Denver, CO 80222
Phone: 303-757-9922 FAX: 303-757-9390

Region 6

PED

Sheet Revisions

Date	Description	Initials

Sheet Revisions

Date	Description	Initials

SEC. 32 & 33 T3S, R68W SEC. 3-10, 15,
16 & 22, T4S, R68W OF THE 6TH P.M.,
CITY & COUNTY OF DENVER, COLORADO

ENGINEERS
ARCHITECTS
SURVEYORS
SCIENTISTS

Farnsworth
GROUP

8055 EAST TUFTS AVENUE, SUITE 850
DENVER, COLORADO 80237
(303) 692-8838 / (303) 692-0470 Fax
www.f-w.com

Right of Way Plans

Control Diagram

Project Number: .			
Project Location: 6TH Avenue & Federal Boulevard			
Project Location: Denver Colorado			
Project Code: 16628	Last Mod. Date: 07-30-09	Subset Sheets: 2 of 5	Sheet No.: 3.02

LEGEND

- PROJECT CONTROL
- SECTION NUMBER
- SECTION LINE
- GPS BASELINE

W SIXTH AVE

S LOWELL BLVD.

S KNOX CT

FEDERAL BLVD.

I-25

j:\yourgules 1:29:44 PM P:\4 DIGIT\3925.DM\JM02 - 6th And Federal\16628\RDW_Survey\Drawings\16311SURV_PlanLSCD01.dgn

Colorado Department of Transportation  2000 South Holly Denver, CO 80222 Phone: 303-757-9922 FAX: 303-757-9390 Region 6PED		Sheet Revisions			Sheet Revisions			SEC. 32 & 33 T3S, R68W SEC. 3-10, 15, 16 & 22, T4S, R68W OF THE 6TH P.M., CITY & COUNTY OF DENVER, COLORADO  8055 EAST TUFTS AVENUE, SUITE 850 DENVER, COLORADO 80237 (303) 692-8838 / (303) 692-0470 Fax www.f-w.com		Land Survey Control Diagram			
		Date	Description	Initials	Date	Description	Initials			Control Diagram			
										Project Number: .			
										Project Location: 6TH Avenue & Federal Boulevard			
								Project Location: Denver Colorado					
Project Code:		Last Mod. Date:		Subset Sheets		Sheet No.							
16628		07-30-09		3 of 5		3.03							

NAD 83/92 COLORADO STATE PLANE CENTRAL ZONE

POINT NUMBER	NAME	PUBLISHED BY:	LATITUDE (WGS 84)	LONGITUDE (WGS 84)	NORTHING (M)	EASTING (M)	HEIGHT (M)	ELEVATION (M)	NORTHING (USFT)	EASTING (USFT)	ELEVATION (USFT)
525	TRANSPORTATION	NGS	39° 41’ 30.20295” N	104° 56’ 17.89912” W	511250.530	962581.266	1643.389	1660.541	1677327.7810	3158068.7040	5447.96
545	MCDONNELL	NGS	39° 44’ 34.68938” N	105° 00’ 03.94511” W	516908.798	957164.209	1570.668	1587.645	1695891.6150	3140296.2420	5208.80
560	RUBY	NGS	39° 41’ 00.89450” N	105° 00’ 26.65744” W	510312.252	956659.208	1626.789	1643.651	1674249.4420	3138639.4180	5392.54
562	MOE	NGS	39° 44’ 25.77651” N	105° 02’ 52.81292” W	516612.873	953145.028	1611.040	1627.791	1694920.7337	3127109.9782	5340.51
563	LARRY	NGS	39° 39’ 13.25681” N	105° 03’ 23.93627” W	506970.906	952451.027	1626.463	1643.027	1663287.0474	3124833.0766	5390.50

PROJECT COORDINATES

POINT NUMBER	NAME	ID	NORTHING	EASTING	NAVD 88	DESCRIPTION
10	-	-	687590.4700	951375.1500	5296.42	SET 30” LONG #6 REBAR W/ 3-1/4” ALUM. CAP MARKED ”FARNSWORTH GROUP CONTROL POINT”
11	-	-	687589.9600	951408.7100	5294.59	SET 18” LONG #5 REBAR W/ RED PLASTIC CAP MARKED ”FARNSWORTH CONTROL”
14	-	-	687154.7900	952509.2000	5261.96	SET 18” LONG #5 REBAR W/ RED PLASTIC CAP MARKED ”FARNSWORTH CONTROL”
15	-	-	686517.1500	952502.9900	5263.53	SET PK NAIL IN ASPHALT W/ 1-1/2” WASHER
18	-	-	686859.7600	953221.5800	5249.33	SET 18” LONG #5 REBAR W/ RED PLASTIC CAP MARKED ”FARNSWORTH CONTROL”
19	-	-	686849.8900	952796.3600	5260.29	SET CHISELED ”+” IN TOP BACK OF CURB
22	-	-	687281.6830	954518.1040	5206.29	SET PK NAIL & 1-12” WASHER IN ASPHALT
23	-	-	687488.4500	954461.7440	5205.58	SET PK NAIL & 1-12” WASHER IN ASPHALT
25	-	-	687528.5740	952821.9070	5236.23	SET #5 REBAR W/ RED PLASTIC CAP MARKED FARNSWORTH CONTROL
26	-	-	687377.8820	952525.7160	5241.72	SET #5 REBAR W/ RED PLASTIC CAP MARKED FARNSWORTH CONTROL
125	-	-	687840.6040	952929.1950	5256.58	SET PK NAIL IN ASPHALT
126	-	-	687896.2940	952965.6970	5256.35	SET PK NAIL IN ASPHALT
525	TRANSPORTATION	AE5253	675291.6580	977177.2120	5447.96	FOUND STEEL ROD IN WELL
545	MCDONNELL	KK2099	693860.6560	959400.0960	5208.80	FOUND STEEL ROD IN WELL
560	RUBY	AE5252	672212.6333	957742.5393	5392.54	FOUND 3.75” USGS BRASS CAP IN CONCRETE, 1936
562	MOE	AA7132	692889.7387	946210.3009	5340.51	FOUND 3.25” USGS BRASS CAP, 1994
563	LARRY	AE5255	661247.3822	943932.1569	5390.50	FOUND 3.5” USGS BRASS CAP, 1996
610	-	3.011004	676818.4123	961779.2257	5240.59	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (CAP STAMPED IMPROPERLY)
611	-	3.013006	675636.1336	961357.1540	5244.47	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (CAP STAMPED IMPROPERLY)
612	-	3.015004	674646.9631	961971.6670	5258.05	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (CAP STAMPED IMPROPERLY)
614	-	3.019004	671853.6813	962086.1621	5269.32	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (CAP STAMPED IMPROPERLY)
620	-	4.009024	689318.5463	955073.7687	5209.43	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP
621	-	4.011024	690798.3182	955353.3689	5204.96	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP
622	-	4.013023	691794.5937	955652.1911	5209.77	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP
623	-	4.016023	693767.6394	955460.0863	5215.57	SET CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP
805	-	4.002018	685851.3537	957308.6627	5219.39	FOUND CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (SEE MERRICK SURVEY)
809	FEDERAL	4.006029	687306.8709	953140.0981	5252.40	FOUND CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (SEE FRAZIER, MERRICK & KM SURVEYS)
816	-	4.009023	689614.8845	955427.7777	5204.56	FOUND CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (SEE MERRICK SURVEY)
825	DEPEW	4.006056	687217.9767	943517.6738	5384.21	FOUND CDOT TYPE 2 MONUMENT – 3.25” ALUMINUM CAP (SEE KM SURVEY)

j:\yourgules 1:30:23 PM P:\4 DIGIT\3925.DM\MO2 - 6th And Federal\16628\RDW_Survey\Drawings\16311SURV_PlanLSCD02.dgn



2000 South Holly
Denver, CO 80222
Phone: 303-757-9922 FAX: 303-757-9390

Region 6

PED

Sheet Revisions

Date	Description	Initials

Sheet Revisions

Date	Description	Initials

SEC. 32 & 33 T3S, R68W SEC. 3-10, 15,
16 & 22, T4S, R68W OF THE 6TH P.M.,
CITY & COUNTY OF DENVER, COLORADO



Farnsworth
GROUP

8055 EAST TUFTS AVENUE, SUITE 850
DENVER, COLORADO 80237
(303) 692-8838 / (303) 692-0470 Fax
www.f-w.com

Land Survey Control Diagram

Control Diagram

Project Number: .			
Project Location: 6TH Avenue & Federal Boulevard			
Project Location: Denver Colorado			
Project Code:	Last Mod. Date	Subset Sheets	Sheet No.
16628	07-30-09	4 of 5	3.04

PROJECT COORDINATES

POINT NUMBER	NAME	ID	NORTHING	EASTING	NAVD 88	DESCRIPTION
2500			686910.38	954525.61	5206.76	FOUND 1" WASHER AND PK NAIL ON HC RAMP LS 9489
2501			686908.15	954014.51	5208.73	FOUND 1-1/4" WASHER AND PK NAIL LS 26958
2502			686846.58	953687.15	5222.82	FOUND 3/4" BRASS TAG AND PK NAIL LS 26958
2503			686846.45	953673.11	5223.61	FOUND YELLOW PLASTIC CAP - ILLEGIBLE
2504			686845.88	953548.02	5228.03	FOUND #5 REBAR NO CAP
2505			688208.52	954144.56	5201.81	FOUND 1" AXLE IN RANGE BOX
2506			688205.61	953504.20	5222.09	FOUND 1" AXLE IN RANGE BOX
2507			686893.97	955334.93	5205.53	FOUND 1" AXLE IN RANGE BOX
2508			686863.49	955335.13	5206.22	FOUND YELLOW PLASTIC CAP LS 9010
2509			686834.58	955335.27	5206.61	FOUND YELLOW PLASTIC CAP LS 13289
2510			686887.17	953838.53	5212.80	FOUND 1" AXLE IN RANGE BOX
2511			686891.61	954812.07	5205.71	FOUND 1" AXLE IN RANGE BOX
2512			687910.89	952865.84	5256.97	FOUND RED PLASTIC CAP IN FENCE POST LS 6955
2513			687785.93	952866.23	5257.18	FOUND CHISELED "+"
2514			687987.71	952830.76	5257.69	FOUND YELLOW PLASTIC CAP - ILLEGIBLE
2515			688037.61	952830.36	5257.63	FOUND ORANGE PLASTIC CAP ON #4 REBAR BELL SURVEYING LS 7361
2570			686850.10	954446.07	5207.76	FOUND 1" BRASS TAG - ILLEGIBLE
2571			687010.30	954518.82	5206.16	FOUND CHISELED "+" IN TOP BACK OF CURB
2572			687204.27	954516.38	5205.06	FOUND CHISELED "+" IN TOP BACK OF CURB
2573			686911.07	954650.53	5206.10	FOUND YELLOW PLATIC CAP - ILLEGIBLE
2574			686997.58	954469.37	5206.05	FOUND CHISELED "+" IN CONC.
2575			687085.34	954469.19	5205.94	FOUND CHISELED "+" IN TOP BACK OF CURB
2576			687819.94	954459.20	5204.11	FOUND 1" BRASS TAG - ROBINSON LS 2132 CENTERED ON CHISELED "+"
2577			686133.94	952508.14	5263.85	FOUND CHISELED "+" IN CONC. ALLEY
2578			686284.01	952506.90	5261.14	FOUND CHISELED "+" IN CONC. ALLEY
2579			685977.79	952509.42	5260.44	FOUND CHISELED "+" IN CONC. ALLEY
2580			686484.27	952505.30	5262.11	FOUND CHISELED "+" IN CONC. ALLEY
2581			686550.92	952623.96	5262.82	FOUND CDOT TYPE 2 MONUMENT - 3-1/4" ALUM. CAP
2582			686484.87	952644.00	5262.33	FOUND CHISELED "+" IN CONC.
2583			686840.13	952508.59	5263.00	FOUND 1-1/4" BRASS WASHER "ROBINSON W.C. LS 2132"
2584			686740.82	952509.21	5265.08	FOUND 1-1/4" BRASS WASHER "ROBINSON W.C. LS 2132"
2585			686284.97	952645.55	5261.34	FOUND CHISELED "+" IN CONC.
2586			686590.10	952641.18	5262.59	FOUND 1-1/4" BRASS WASHER "ROBINSON W.C. LS 2132"
2587			686741.58	952640.04	5262.12	FOUND 1-1/4" BRASS WASHER "ROBINSON W.C. LS 2132"
2588			686840.88	952639.33	5260.88	FOUND 1-1/4" BRASS WASHER "ROBINSON W.C. LS 2132"
2589			687066.55	952637.66	5258.06	FOUND CHISELED "+"
2590			690052.33	955441.67	5198.15	FOUND WITNESS COR. TO E. 1/4 COR. SEC.5 T.4S. R.68W. LS 13155 - 3-1/4" ALUM. CAP
2591			690312.16	955439.28	5197.25	FOUND WITNESS COR. TO E. 1/4 COR. SEC.5 T.4S. R.68W. LS 13155 - 3-1/4" ALUM. CAP
2592			684903.42	955342.32	5209.96	FOUND STONE W/ CHISELED "+" IN RANGE BOX 1.4' BELOW SURFACE
2593			684803.07	950044.69	5283.53	FOUND WITNESS COR. TO E. 1/4 COR. SEC.7 T.4S. R.68W. LS 25384 - 3-1/4" ALUM. CAP IN CONC. S
2594			690150.44	949994.99	5290.29	FOUND 1-1/2" DIA. AXLE IN RANGE BOX - NO CAP OR ACCESSORIES
2595			688211.72	954796.74	5201.86	FOUND 1-1/4" REBAR WITHOUT CAP IN RANGE BOX 0.4' BELOW SURFACE
2596			686625.57	953515.44	5235.05	FOUND 1-1/2" ALUM CAP IN RANGE BOX MARKED "DENVER CITY ENGINEER LS 3925"
2597			688213.25	955122.85	5203.08	FOUND 1-1/4" REBAR WITHOUT CAP IN RANGE BOX 0.7' BELOW SURFACE
2599			687566.28	954784.24	5204.68	FOUND CHISELED "+" IN TOP BACK OF CURB
2600			687571.33	954788.22	5204.54	FOUND CHISELED "+" IN TOP BACK OF CURB
2601			687578.48	954838.29	5204.60	FOUND CHISELED "+" IN TOP BACK OF CURB
2602			684825.74	952654.71	5264.29	FOUND 3-1/4" ALUM. CAP IN CONC. WALK
2603			684862.91	952656.80	5263.94	FOUND 3-1/4" ALUM. CAP IN CONC. WALK
2604			684908.82	952656.40	5263.90	FOUND 3-1/4" ALUM. CAP IN CONC. WALK



2000 South Holly
Denver, CO 80222
Phone: 303-757-9922 FAX: 303-757-9390

Region 6

PED

Sheet Revisions

Date	Description	Initials

Sheet Revisions

Date	Description	Initials

SEC. 32 & 33 T3S, R68W SEC. 3-10, 15,
16 & 22, T4S, R68W OF THE 6TH P.M.,
CITY & COUNTY OF DENVER, COLORADO



Farnsworth
GROUP

8055 EAST TUFTS AVENUE, SUITE 850
DENVER, COLORADO 80237
(303) 692-8838 / (303) 692-0470 Fax
www.f-w.com

Land Survey Control Diagram

Control Diagram

Project Number: .			
Project Location: 6TH Avenue & Federal Boulevard			
Project Location: Denver Colorado			
Project Code: 16628	Last Mod. Date: 07-30-09	Subset Sheets: 5 of 5	Sheet No.: 3.05

PROJECT COORDINATES

POINT NUMBER	NAME	ID	NORTHING	EASTING	NAVD 88	DESCRIPTION
2605			684957.51	952654.94	5263.71	FOUND 3-1/4" ALUM. CAP IN CONC. WALK
2606			684932.09	952734.93	5264.03	FOUND 3-1/4" ALUM. CAP IN CONC. WALK
2607			684866.45	952742.00	5263.46	FOUND 3-1/4" ALUM. CAP IN CONC. WALK
2608			687600.16	952722.76	5254.80	FOUND 1-1/2" BRASS CAP ON #5 REBAR - ILLEGIBLE
2609			687539.46	952703.40	5255.83	FOUND CHISELED "+" IN CONC. WALK ON BRIDGE
2610			687497.04	952702.38	5255.89	FOUND CHISELED "+" IN CONC. WALK ON BRIDGE
2611			687413.03	952702.76	5256.32	FOUND CHISELED "+" IN CONC. WALK ON BRIDGE
2612			687566.39	953633.55	5220.40	FOUND YELLOW PLASTIC CAP ON #5 REBAR
2613			687208.19	952707.31	5257.06	FOUND CDOT TYPE 2 MONUMENT - 3-1/4" ALUM. CAP
2614			687321.01	952702.47	5256.64	FOUND CDOT TYPE 2 MONUMENT IN BACK OF INLET - 3-1/4" ALUM. CAP
2615			687355.66	952704.63	5256.62	FOUND CHISELED "+" IN CONC. WALK ON BRIDGE
2617			687549.01	952635.70	5255.74	FOUND 3" BRASS CAP IN CONC. WALK ON BRIDGE
2618			687554.23	952635.21	5255.79	SE CORNER OF 4X4 BRIDGE FENCE POST - NORTHERLY MOST POST ON W. SIDE
2619			687504.94	952635.53	5256.01	NE CORNER OF 4X4 BRIDGE FENCE POST - 6TH POST FROM N. END ON W. SIDE
2620			687143.60	952637.20	5256.81	FOUND CHISELED MALTESE + IN WALK
2621			687543.64	955417.83	5208.26	FOUND WITNESS COR. TO SE CORNER SEC. 5 T.4S. R68W.LS.13155 - 3-1/4"
2622			687085.78	952508.98	5256.69	FOUND #4 REBAR W/ BROKEN YELLOW PLASTIC CAP 0.4' BELOW ASPHALT IN ALLEY - ILLEGIBLE
2623			686289.07	952719.45	5260.85	FOUND 1" NAIL & WASHER PE LS 9489
2624			686289.06	952715.46	5260.69	FOUND CHISELED "+" IN CONC. WALK
2625			686531.69	952844.52	5259.05	FOUND #4 REBAR NO CAP
2626			686621.85	952716.96	5262.45	FOUND CHISELED "+" IN TOP OF CURB
2627			686621.92	952728.98	5263.65	FOUND CHISELED "+" IN TOP OF CURB
2628			686677.66	952844.02	5259.62	FOUND #5 REBAR W/ YELLOW PLASTIC CAP
2629			686200.04	952645.52	5260.99	FOUND CDOT TYPE 2 MONUMENT - 3-1/4" ALUM. CAP IN CONC. WALK
2630			686134.82	952646.74	5260.68	FOUND CHISELED "+" IN CONC. WALK
2631			691525.34	952632.06	5212.55	FOUND WITNESS COR. TO N.1/6 C T.4S. R.68W. LS 13155 - 3-1/4" ALUM. CAP 0.5' BELOW SURFACE
2700			687567.86	954006.68	5205.90	FOUND YELLOW PLASTIC CAP LS 10915
2701			687567.84	953991.12	5205.75	FOUND NAIL W/ PUCNH MARK IN CENTER
2702			687567.67	953997.52	5205.99	FOUND NAIL NEAR CENTER LINE OF ALLEY
2703			687767.91	954004.42	5206.39	FOUND YELLOW PLASTIC CAP LS 10915
2704			687768.51	954133.64	5204.53	FOUND CHISELED "+" IN CONC. WALK
2705			687568.47	954131.85	5205.00	FOUND YELLOW PLASTIC CAP LS 10915
2706			687566.68	953689.75	5208.64	FOUND 60D NAIL W/ ORANGE FLAGGING
2707			687593.46	953539.42	5237.36	FOUND BROKEN YELLOW PLASTIC CAP ROBINSON LS 2132
2708			688168.60	954124.98	5202.75	FOUND YELLOW PLASTIC CAP BURDICK ENG. LS 9010
2709			688167.92	953983.97	5204.22	FOUND 1-1/2" ALUM CAP STAMPED "JR ENG. LS 25369"
2710			687911.95	952705.74	5253.96	FOUND CHISELED "+"
2711			687911.51	952701.57	5253.85	FOUND CHISELED "+"
2712			687986.86	952700.96	5253.52	FOUND CHISELED "+"
2713			688037.01	952705.08	5253.61	FOUND CHISELED "+"
2714			687660.38	952706.65	5254.66	FOUND YELLOW PLASTIC CAP - ILLEGIBLE
2716			687370.38	952704.38	5256.57	FOUND CHISELED "+" IN CONC. WALK ON BRIDGE
2717			687664.80	952634.41	5254.90	FOUND CDOT TYPE 2 MONUMENT - 3-1/4" ALUM. CAP
2720			687614.37	950639.69	5332.17	FOUND CHISELED "+" IN WALK
2721			687560.57	950627.37	5333.92	FOUND CDOT TYPE 2 MONUMENT - 3-1/4" ALUM. CAP
2722			687360.75	950628.71	5333.69	FOUND CDOT TYPE 2 MONUMENT - 3-1/4" ALUM. CAP
2723			687360.14	950632.01	5333.76	FOUND #4 REBAR
2725			688036.62	952700.31	5253.45	FOUND CHISELED "+" IN WALK
2726			686905.91	953547.89	5226.89	FOUND #4 REBAR
2727			687256.28	953543.57	5225.93	FOUND #3 REBAR