

MRH


[illegible]

NW 1/4 Sec. 13
T. 25 S., R. 52 W.



E1 GROVER SWIFT

Pt. of Begin. E1 the NW cor.
Sec. 13 bears N. 1°14' W. -
2324.5'




DBL. 6' x 2' x 36' C.B.C.

SW 1/4 Sec. 13
T. 25 S., R. 52 W.

E2 GROVER SWIFT

Pt. of Begin. E2 the NW cor.
Sec. 13 bears N. 1°00' W. -
2865.4'



DBL. 6' x 2' x 36' C.B.C.

5' x 2' x 36' C.B.C.

NE 1/4 Sec. 14
T. 25 S., R. 52 W.

SE 1/4 Sec. 14
T. 25 S., R. 52 W.

IN. = 38.4
OUT. = 37.6

IN. = 39.2
OUT. = 38.9

FL. IN. = 40.6
OUT. = 40.4

PROJ. NO.	DIST.	PROJ. NO.	SHEET NO.	TOTAL SHEETS
8	COLO	50013(3)	3	

RIGHT OF WAY

PLAN	DATE
1/25/00	1/25/00

DATE	BY	REVISION
1/25/00	1/25/00	1/25/00


NW 1/4 Sec. 24
T. 25 S., R. 52 W.

SW 1/4 Sec. 24
T. 25 S., R. 52 W.

RIGHT OF WAY



CLOUD LEO BEAMER &
MARY LOIS BEAMER, J.T.



DBL. 6' X 2' X 36" STONE WPA CULVERT

South

NW 1/4 Sec. 23
T. 25 S., R. 52 W.

SE 1/4 Sec. 23
T. 25 S., R. 52 W.

4250
40
4230

IN + 38.8
OUT + 38.5

845 850 855 860 865 870 875