

0010-0123499

COLORADO DEPARTMENT OF HIGHWAYS

PLAN AND PROFILE OF PROPOSED
FEDERAL AID PROJECT NO. S 0137(II)
STATE HIGHWAY NO. 80
SAN MIGUEL & MONTE ROSE COUNTY

RIGHT OF WAY


PROJECT NO.	S 0137(II)
SECTION NO.	1
COLORADO	
RIGHT OF WAY	
DRY BRN-PRD-00000000	
INDEX OF SHEETS	
SHEET NO.	23
TITLE SHEET & SKETCH MAP	23
2-24	23
2-25	23
2-26	23
2-27	23
2-28	23
2-29	23
2-30	23
2-31	23
2-32	23
2-33	23
2-34	23
2-35	23
2-36	23
2-37	23
2-38	23
2-39	23
2-40	23
2-41	23
2-42	23
2-43	23
2-44	23
2-45	23
2-46	23
2-47	23
2-48	23
2-49	23
2-50	23
2-51	23
2-52	23
2-53	23
2-54	23
2-55	23
2-56	23
2-57	23
2-58	23
2-59	23
2-60	23
2-61	23
2-62	23
2-63	23
2-64	23
2-65	23
2-66	23
2-67	23
2-68	23
2-69	23
2-70	23
2-71	23
2-72	23
2-73	23
2-74	23
2-75	23
2-76	23
2-77	23
2-78	23
2-79	23
2-80	23
2-81	23
2-82	23
2-83	23
2-84	23
2-85	23
2-86	23
2-87	23
2-88	23
2-89	23
2-90	23
2-91	23
2-92	23
2-93	23
2-94	23
2-95	23
2-96	23
2-97	23
2-98	23
2-99	23
2-100	23

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

U. S. PUBLIC LAND
BUREAU OF LAND MANAGEMENT

SCALE OF ORIGINAL DRAWINGS

ON PLAN, 1" = 100 FT.
ON PROFILE, 1" = 10 FT. HORIZONTAL
1" = 10 FT. VERTICAL
GRADE LINES & PROFILES SHOWN AS GRADE OF FINISHED ROAD
NET LENGTH OF PROJECT



CONVENTIONAL SIGNS

CENTER LINE	152	152	152
COUNTY ROAD	152	152	152
LAND LINES	152	152	152
CITY LIMITS	152	152	152
RAILROAD	152	152	152
BARBED WIRE FENCE	152	152	152
PRESENT ROAD (PLAN SHEETS)	152	152	152
POWER LINE	152	152	152
ACCESS POINTS (FREWAYS)	152	152	152
C OF A LINE (CONTROL OF ACCESS)	152	152	152
ACCESS DENIED BY GED	152	152	152
TOE OF CUTS	152	152	152
TOE OF FILLS	152	152	152
DETOUR	152	152	152

CERTIFICATE OF CHIEF ENGINEER

I, Chas. E. Shumate, Chief Engineer, State of Colorado, hereby certify that this map was made from data taken from the San Miguel & Montrose County and that the Right of Way is accurately represented by this map.

Date: July 10, 1937

DEPARTMENT OF HIGHWAYS, STATE OF COLORADO

Chas. E. Shumate
Chief Engineer


SE 1/4 Sec 4
T. 44N, R. 15W, N.M.P.M.

NE 1/4 Sec 4
T. 44N, R. 15W, N.M.P.M.

SE 1/4 Sec 33
T. 45N, R. 15W, N.M.P.M.

000-0123499

FENCING REQUIREMENTS
5 Wire barbed fence w/metal posts
16 foot centers, LI & RI.



9s = 10° 05'
L1 = 1587.3
L2 = 1587.3
L3 = 550.0
Ts = 1250.0'

U.S.B.L.M.
PUBLIC DOMAIN

C.S. 1617+69.8

T. 45N, R. 15W, N.M.P.M.

T. 44N, R. 15W, N.M.P.M.

W. 95° 25' N

S. 1623+19.6

Point of Beginning Parcel No. 5
Tie S. 89° 56' E. 421.4' to the SE Cor. Sec. 33.

N. 11° 03' E.

1495.8'

1640

1635

1630

1625

1620

1615

1610

1605

1600

1595

1590

1585

1580

1575

1570

1565

1560

1555

1550

1545

1540

1535

1530

1525

1520

1515

1510

1505

1500

1495

1490

1485

1480

1475

1470

1465

1460

1455

1450

1445

1440

1435

1430

1425

1420

1415

1410

1405

1400

1395

1390

1385

1380

1375

1370

1365

1360

1355

1350

1345

1340

1335

1330

1325

1320

1315

1310

1305

1300

1295

1290

1285

1280

1275

1270

1265

1260

1255

1250

1245

1240

1235

1230

1225

1220

1215

1210

1205

1200

1195

1190

1185

1180

1175

1170

1165

1160

1155

1150

1145

1140

1135

1130

1125

1120

1115

1110

1105

1100

1095

1090

1085

1080

1075

1070

1065

1060

1055

1050

1045

1040

1035

1030

1025

1020

1015

1010

1005

1000

995

990

985

980

975

970

965

960

955

950

945

940

935

930

925

920

915

910

905

900

895

890

885

880

875

870

865

860

855

850

845

840

835

830

825

820

815

810

805

800

795

790

785

780

775

770

765

760

755

750

745

740

735

730

725

720

715

710

705

700

695

690

685

680

675

670

665

660

655

650

645

640

635

630

625

620

615

610

605

600

595

590

585

580

575

570

565

560

555

550

545

540

535

530

525

520

515

510

505

500

495

490

485

480

475

470

465

460

455

450

445

440

435

430

425

420

415

410

405

400

395

390

385

380

375

370

365

360

355

350

345

340

335

330

325

320

315

310

305

300

295

290

285

280

275

270

265

260

255

250

245

240

235

230

225

220

215

210

205

200

195

190

185

180

175

170

165

160

155

150

145

140

135

130

125

120

115

110

105

100

95

90

85


80

75

70

SE1/4 Sec. 33
T. 45 N., R. 15 W., N.M.P.M.

**DRY BASIN-BROAD CANYON
RIGHT OF WAY**




FILE NAME and NO.	OPTION	PROG. NO.	SHEET OF
1	COLD	SO137(11)	8

DRY BASIN - BROAD CANYON

RIGHT OF WAY


COLO 012349

170



JAMES P. AN & FAMILY TRUSTS

JAMES P. AN & FAMILY TRUSTS



0010-0123499


DATE	BY	CHKD	APP'D
5/17/11	S	0337(11)	9

DRY BASIN-BROAD CANYON
RIGHT OF WAY

0010-0123499

Point of Beginning Parcel 8
T.45N. R.15W. N.1/4 Sec 27
center of Sec 27

A = 38°55' L
Ac = 10.26
T = 3°00'
Tc = 325.6
Lc = 190.9
R = 180.9
B = 6°45'
L = 172.5
L1 = 300.2
L2 = 51.450
T = 789.5



REVISIONS

USBLM
PUBLIC DOMAIN

NE 1/4 Sec 27
T.45N. R.15W. N.1/4 Sec 27
center of Sec 27

P.15.1720+98.7

P.15.1720+98.7

P.15.1720+98.7

P.15.1720+98.7

P.15.1720+98.7


P.15.1720+98.7

SE 1/4 Sec 27
T.45N. R.15W. N.1/4 Sec 27
center of Sec 27


SE 1/4 Sec 27
T.45N. R.15W. N.1/4 Sec 27
center of Sec 27

SE 1/4 Sec 27
T.45N. R.15W. N.1/4 Sec 27
center of Sec 27

SE 1/4 Sec 27
T.45N. R.15W. N.1/4 Sec 27
center of Sec 27



CG10-01234




NE 1/4 Sec. 27
T. 45 N., R. 15 W., N. M. P.M.

Spine in 4" cedar tree-6241.09

SEI/4 Sec. 22
T. 45 N., R. 15 W., N. M. P. M.



REVISIONS	
NO.	DESCRIPTION



Tentative Grade Line Only

DATE	SCALE	REVISION	BY	CHKD	APP'D
11/1/79	1"=40'	1	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	2	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	3	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	4	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	5	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	6	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	7	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	8	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	9	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	10	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	11	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	12	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	13	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	14	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	15	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	16	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	17	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	18	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	19	W. J. F.	W. J. F.	W. J. F.
11/1/79	1"=40'	20	W. J. F.	W. J. F.	W. J. F.

0010-012349
 DRY BASIN- BROAD CANYON
 RIGHT OF WAY



REVISIONS
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

FENCING REQUIREMENTS
 5 Wire, B W. Fence, W. metal posts
 16 centers L & R.

U.S.B.L.M.
 PUBLIC DOMAIN

SE/4 Sec 22
 T.45N, R.15W, N.M.P.M.

B.M. 766.65 N. Sta. 1772+30
 Spike in 6" center line 6205.35


B.M. 765.75 N. Sta. 1763+30
 Spike in 12" center line 6202.79


SE/4 Sec 22
 T.45N, R.15W, N.M.P.M.


FILE NAME FILE NO.	DESCRIPTION	PAGE NO.	DATE MM	REV. REV.
1	COLO.	\$ 0137(11)	12	

DRY BASIN - BROAD CANYON
RIGHT OF WAY

0000-012345







REV.	DATE	BY	CHK.	APP.
1	5/13/71	11	15	

SE1/4 Sec. 2
T.45N. R.15W. N.M.P.M.
RIGHT OF WAY

012345

NE1/4 Sec. 11
T.45N. R.15W. N.M.P.M.

P.I. 1920+69.8

N 2° 35' W
L = 99.7
ARC = 99.2 S

N 01° 56' W

N 02° 22' E
L = 177.3
ARC = 96.6 S
N 2° 32' W

P.I. 1923+58.6

D = 99.48 R
L = 491.2
T = 980.0
R = 57500'

U.S.B.L.M.
(10) PUBLIC DOMAIN


P.C. 1919+19.6

NW1/4 Sec. 12
T.45N. R.15W. N.M.P.M.
B.M. 177.75' L.I. 516' 1977.35
Scale in 1" = 4000' from 5888.28

SW1/4 Sec. 1
T.45N. R.15W. N.M.P.M.
B.M. 178' 70.15' L.I. 516' 1977.35
Scale in 1" = 4000' from 5888.28

FENCING REQUIREMENTS
5' Wire barbed wire fence with metal posts
16' centers LL & RL

REVISIONS



1910 1915 1920 1925 1930 1935 1940

1910 1915 1920 1925 1930 1935 1940

Former Preliminary Survey CS 21-0080-00

COLD-0123499

REV	DATE	BY	REVISIONS
1	5/03/71	1	
2		2	



SW 1/4 Sec 26
T.46N, R.15W, N.M.P.M.

FENCING REQUIREMENTS

5 Wire 20 W fence W/ metal posts 16' centers L1/8" x 3/16"

NW 1/4 Sec 35
T.46N, R.15W, N.M.P.M.

50' x 100' to CG 100' - Road
Intercepting Black L.L.



REV	DATE	BY	REVISIONS
1	5/03/71	1	
2		2	

U.S. & L.M. PUBLIC DOMAIN
CLEARING & GRUBBING
Shu 55' x 30' to 54' x 100' Light Curve
Brush & Scattered Cedar Trees

DWIGHT A. DECKER
85445 Del Norte
Long Beach, California

WILMA FLANGAN, et al.
01-10055R
D-1-00055
T-1-00917
R-1-57296

NE 1/4 Sec 35
T.46N, R.15W, N.M.P.M.

COLGARD DEPT OF HIGHWAYS

CORRESPOND MAP

SHOWING ELEVATIONS WITH
ELEVATION DATA
FOR PROJECT SOLUTION


ORIGINAL SCALE 1:4000

TECHNICAL DRAWING

COLG-0123499

RIGHT OF WAY
DRY BALM-2ND CANYON



DATE	BY	REVISION	DATE
1/1/75	1/1/75	1/1/75	1/1/75





1. HIGHEST ELEVATION 200
2. LOWEST ELEVATION
3. 1/2 MILE 9 TERNALISM

152M
2. HIGHEST ELEVATION 200
3. 1/2 MILE 9 TERNALISM

REVISIONS
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

[illegible]

R.O.W. FILE



REVISION	DATE	BY	CHK

RIGHT OF WAY
DOWNSIDE GRADE CANYON

PLAN
145N, R15W, N1/4

SHOWING CLAIMANTS WITH
REGARD TO RIGHT OF WAY
FOR PROJECT NO. 031111
SHOWING SCALE 1"=100'

FLAT


145N, R15W, N1/4

145N, R15W, N1/4

145N, R15W, N1/4

145N, R15W, N1/4

145N, R15W, N1/4



R15W R14W
T46N 36/31
T45N 1 6

MONTROSE CO.
SAN MIGUEL CO.

