

- INDEX OF SHEETS
1. TITLE SHEET
 2. TABULATION OF PROPERTIES
 3. PLAN AND PROFILE SHEETS SHOWING
 4. OWNERSHIP MAP

COLORADO

DEPARTMENT OF HIGHWAYS

PLAN AND PROFILE OF PROPOSED FEDERAL AID PROJECT NO. S0150 (3)

STATE HIGHWAY NO. 145 & 108

SAN MIGUEL COUNTY

SECTION	PROJECT	DATE	BY	NO.
1	1	5	0150 (3)	1

RIGHT OF WAY


CONVENTIONAL SIGNS

COUNTY LINE	1/4" = 1/2" MILE
RANGE LINE	1/4" = 1/2" MILE
TOWNSHIP OR RANGE LINE	1/4" = 1/2" MILE
SECTION LINE	1/4" = 1/2" MILE
RAILROAD	1/4" = 1/2" MILE
BARBED WIRE FENCE	1/4" = 1/2" MILE
COMMUNICATION WIRE FENCE	1/4" = 1/2" MILE
TELEPHONE & TELEGRAPH LINES	1/4" = 1/2" MILE
POWER LINE	1/4" = 1/2" MILE
PRESENT ROAD (From Shows)	1/4" = 1/2" MILE

SCALES OF ORIGINAL DRAWINGS

ON PLAN	1" = 100 FT.
ON PROFILE	1" = 10 FT. VERTICAL
GRADE LINE ON PROFILE IS SHOWN AS GRADE OF FINISHED ROAD	
NET LENGTH OF PROJECT	

RIGHT OF WAY



STA. 551 + 35.0 BEGIN S0150 (3)
END S0150 (3)

STA. 842 + 37.5
END S0150 (3)

O.W TABULATION OF PROPERTIES IN SAN MIGUEL COUNTY S.H. NO. 145 & 108 PROJ. NO. S 0150 (3)

O.W TABULATION OF PROPERTIES IN SAN MIGUEL COUNTY S.H. NO. 145 & 108 PROJ. NO. S 0150(3)									
OWNER	ADDRESS	LOCATION	AREA IN ACRES		REMARKS	NO.			
			TOTAL LAND IN TRACT	PARCEL TO BE ACQUIRED					
Shari Alexander Shari Alexander Shari Alexander	Norwood, Colorado	T33M, R3W	66.43	16.901	13.106				
	Norwood, Colorado	N 1/2 Sec 32	52.23	1.741	1.121	1			
	Norwood, Colorado	NE 1/4 Sec 32	156.70	0.625	0.352	2			
	Norwood, Colorado	NE 1/4 Sec 32				3			
Ed J. Vezina Ed J. Vezina	Telluride, Colorado	NE 1/4 Sec 32		2.587	1.637				
	Telluride, Colorado	Sec 32, S. Sec 33	19.83	4.995	2.757	5			
	Telluride, Colorado	Sec 33							
United States of America (National Forest)									
Ed J. Vezina	Telluride, Colorado	Sec 33	133.32	1.871	1.701				
Mike Adgerso % Joaquin Adgerso	Telluride, Colorado	NW 1/4 Sec 33		7.234	3.419	7			
Bethia Daniels	Nucleo, Colorado	Sec 33 & Sec 34	66.21	1.168	1.168				
Mike Adgerso % Joaquin Adgerso	Telluride, Colorado	NW 1/4 Sec 34		1.717	0.479	9			
Ed J. Vezina	Telluride, Colorado	Sec 34		3.311	1.446	11			
Millard and Iris Lein Millard and Iris Lein	Telluride, Colorado Telluride, Colorado	Sec 34 Sec 34		0.501	0.161	12			
Ed J. Vezina	Telluride, Colorado	Sec 34		2.560	1.240	13			
Ed J. and Rosalia Vezina Ed J. and Rosalia Vezina	Telluride, Colorado Telluride, Colorado	Sec 34 & Sec 35 Sec 35	160.00	8.203	2.632	15			
United States of America (National Forest)		Sec 35	38.00	0.099	0.045	16			
Albert Beckman	Telluride, Colorado	Sec 35				17			
San Miguel County	Telluride, Colorado	Sec 36		1.560	0.358	19			
Kella T. McKnight	Telluride, Colorado	SE 1/4 Sec 35	91.16	1.188	0.830	20			
Ed J. Vezina Ed J. Vezina Ed J. Vezina Ed J. and Rosalia Vezina	Telluride, Colorado Telluride, Colorado Telluride, Colorado Telluride, Colorado	NW 1/4 Sec 33 NW 1/4 Sec 34 NE 1/4 Sec 34 NE 1/4 Sec 35		0.413 0.413 0.551 0.689	0.413 0.413 0.551 0.689	E1 E2 E3 E4			


SECTION	NUMBER	DATE	NO.	NO.	NO.
1	1	1	1	1	1


RIGHT OF WAY
 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000.


STA 651+35.0
 BEGIN S 0150 (3)
 END S 0150 (2)

NW 1/4 SEC 36,
 T.43N, R.10W, N.M.P.M.

NE 1/4 SEC 36,
 T.43N, R.10W, N.M.P.M.









| | |
|------|---------------|
| EXCM | FACTOR |
| EXCM | - |
| EXCM | X FACTOR |
| EXCM | REMARKS |
| EXCM | STA. TO. 0.01 |
| EXCM | TO. M. 0.01 |
| EXCM | SOURCE |
| EXCM | SOURCE |

| FILE NO. | DIST. | UNIT. | PLAT NO. | DATE |
|----------|-------|-------|------------|------|
| 9 | 9 | 9 | 5 0350(13) | 14 |

RIGHT OF WAY





| FILE NO. | DISTRICT | PROJECT NO. | SHEET NO. |
|----------|----------|-------------|-----------|
| 8 | 8 | 8 00000 | 15 |

RIGHT OF WAY

OWNERSHIP MAP PLAT

SHOWING CLAIMANTS WITH
REGARD TO RIGHT OF WAY
IN PROJECT NO. 8 00000
ORIGINAL SCALE 1" = 400'



2 D1R0 (2)

COLORADO DEPARTMENT OF HIGHWAYS

PLAN AND PROFILE OF PROPOSED
FEDERAL AID PROJECT NO. S0150(3)
STATE HIGHWAY NO. 145 & 108
SAN MIGUEL COUNTY

INDEX OF SHEETS
SHEET NO. 1 TITLE SHEET
2 PLAN AND PROFILE
3-5 PLAN AND PROFILE SHEETS SHOWING
RIGHT OF WAY
6-10 OWNERSHIP MAP

Master Copy
DO NOT REMOVE

| | | |
|-------------|----------|-----------|
| SECTION NO. | DISTRICT | PROJ. NO. |
| 1 | CONGRADO | 5 0150(3) |

RIGHT OF WAY


CONVENTIONAL SIGNS

- COUNTY LINE
- TOWNSHIP OR RANGE LINE
- SECTION LINE
- RAILROAD
- BARRIED WIRE FENCE
- UNBARRIED WIRE FENCE
- SHOW
- TELEPHONE & TELEGRAPH LINES
- POWER LINE
- PRESENT ROAD (When Shown)

SCALE OF ORIGINAL DIMENSIONS
ON PLAN: 1 IN. = 100 FT.
ON PROFILE: 1 IN. = 100 FT. HORIZONTAL
1 IN. = 10 FT. VERTICAL

GRADE LINE ON PROFILE IS SHOWN AS GRADE OF FINISHED ROAD
DISTANCE LENGTH OF PROJECT
MILE LENGTH OF PROJECT

RIGHT OF WAY



STA. 842 + 37.5
END S 0150(3)

STA. 551 + 350 BEGIN S 0150(3)
END S 0150(2)

SCALE IN MILES

R.O.W TABULATION OF PROPERTIES IN SAN MIGUEL COUNTY S.H. NO. 145 & 108 PROJ. NO. S 0150(3)

| | | | |
|----------------|-------|---------|-----------|
| ASS. PROJ. NO. | STATE | CO. NO. | PROJ. NO. |
| 145 | CO. | 108 | 0150(3) |
| 1 | 2 | | |

| PARCEL NO. | OWNER | ADDRESS | LOCATION | AREA | | ACRES IN PARCEL | ACRES ACQUIRED | REMARKS |
|------------|--|---------------------|-----------------|--------|--------|-----------------|----------------|------------------------------------|
| | | | | TOTAL | RAW | | | |
| 1 | Robert Alexander 212/265 | Newwood, Colorado | T43N, R3W | | | | | |
| 2 | Robert Alexander 212/265 | Newwood, Colorado | N 1/2 Sec 32 | 56.43 | 16.901 | 13.06 | | Extension of the Kaxtione Placer |
| 3 | Robert Alexander 212/265 | Newwood, Colorado | NE 1/4 Sec 32 | 37.23 | 1.741 | 1.21 | | Kaxtione Placer |
| 4 | Ed J. Vazina 212/265 | Telluride, Colorado | NE 1/4 Sec 32 | 156.70 | 0.625 | 0.552 | | Boston Placer |
| 5 | Ed J. Vazina 212/271 | Telluride, Colorado | NE 1/4 Sec 32 | | 2.587 | 1.637 | | |
| 6 | United States of America (National Forest) | Telluride, Colorado | Sec 32 & Sec 33 | 19.83 | 4.595 | 2.757 | | Noville Placer |
| 7 | Ed J. Vazina 212/271 | Telluride, Colorado | Sec 33 | | | | | |
| 8 | Mike Alderson, Joseph Alderson 212/267 | Telluride, Colorado | Sec 33 | 133.32 | 1.871 | 1.701 | | Decker Placer |
| 9 | Bertha Donits 212/266 | Nicola, Colorado | NW 1/4 Sec 33 | | 7.234 | 3.419 | | |
| 10 | Mike Alderson, Joseph Alderson 212/267 | Telluride, Colorado | Sec 33 & Sec 34 | 56.21 | 1.168 | 1.168 | | Missouri Placer |
| 11 | Ed J. Vazina 212/271 | Telluride, Colorado | NW 1/4 Sec 34 | | 1.717 | 0.479 | | |
| 12 | Willard and Iris Lein 212/268 | Telluride, Colorado | Sec 34 | | 3.311 | 1.446 | | Kokomo Placer |
| 13 | Willard and Iris Lein 212/268 | Telluride, Colorado | Sec 34 | | 0.501 | 0.161 | | Pilot Knob Placer |
| 14 | Ed J. Vazina 212/271 | Telluride, Colorado | Sec 34 | | 2.560 | 1.240 | | Tract 182 of the Kokomo Placer |
| 15 | Ed J. and Rosalia Vazina 212/270 | Telluride, Colorado | Sec 34 | | 0.335 | 0.128 | | Kokomo Placer |
| 16 | Ed J. and Rosalia Vazina 212/270 | Telluride, Colorado | Sec 34 & Sec 35 | 180.00 | 8.203 | 2.652 | | Ohio Placer |
| 17 | Ed J. and Rosalia Vazina 212/270 | Telluride, Colorado | Sec 35 | | 6.612 | 3.437 | | Virginia Placer |
| 18 | United States of America (National Forest) | Telluride, Colorado | Sec 35 | 38.00 | 0.089 | 0.045 | | Arthur and Felton Placer |
| 19 | Albert Beckman 212/269 | Telluride, Colorado | Sec 35 | | | | | |
| 20 | San Miguel County 212/269 | Telluride, Colorado | Sec 36 | | 1.560 | 0.358 | | Blocks 2728 & 32 Town of Telluride |
| 21 | Kellie I. McNeill 212/269 | Telluride, Colorado | Sec 36 | | 1.188 | 0.930 | | Blocks 2018 & 21 Town of Telluride |
| 22 | Ed J. Vazina | Telluride, Colorado | SE 1/4 Sec 35 | 91.16 | 0.846 | 0.270 | | Dakota Placer |
| 23 | Ed J. Vazina | Telluride, Colorado | NW 1/4 Sec 33 | | 0.413 | 0.413 | | |
| 24 | Ed J. Vazina | Telluride, Colorado | NW 1/4 Sec 34 | | 0.413 | 0.413 | | Irrigation Ditch Channel |
| 25 | Ed J. Vazina | Telluride, Colorado | NE 1/4 Sec 34 | | 0.351 | 0.351 | | " |
| 26 | Ed J. and Rosalia Vazina | Telluride, Colorado | NE 1/4 Sec 35 | | 0.689 | 0.689 | | " |

| PLAN NUMBER | SHEET NO. | PROJECT NO. |
|-------------|-----------|-------------|
| 5 | 5 | 5 |


RIGHT OF WAY

8226
1525
R 3850.0
Nov 5.0.20



STA 551+35.0
BEGIN S 0150 (2)
END S 0150 (2)

NW 1/4 SEC 36
7.45N, 8.00W, N.M.P.M.

NE 1/4 SEC 36
7.45N, 8.00W, N.M.P.M.



| FED. ROAD DISTRICT NO. | DISTRICT | PROJ. NO. | SHEET NO. |
|------------------------|----------|------------|-----------|
| 9 | COLO. | S 0150 (3) | 4 |





| | | | |
|----------------------------|----------|------------|--------------|
| PERS. ROAD
DIVISION NO. | DISTRICT | PROJ. NO. | SHEET
NO. |
| 2 | COLO. | S 0150 (3) | 5 |

RIGHT OF WAY

① ROBERT ALEXANDER
Norwood, Colo.

NOTE: R.O.W. Purchased to here on Project 50150131





| ADD. ROAD | WRT | PROJ. NO. | SHEET |
|-----------|-----|-----------|-------|
| 9 | 9 | 5 0150(1) | 7 |

RIGHT OF WAY


NW 1/4, Sec. 33, T.43N, R.9W

NE 1/4, Sec. 32, T.43N, R.9W

ED J. VEZINA
Telluride, Colo.

Lot 1

Extension of the Keystone Placer



655

650

645

640

NOT TO SCALE

NE 1/4, Sec. 33, T.43N., R.9W.

NW 1/4, Sec. 34, T.43N., R.9W.

| FILE NO. | DATE | BY | NO. |
|----------|------|-------|---------|
| 9 | 9 | COLO. | 5050(3) |

RIGHT OF WAY

Pilot Knob Placer

MIFORD and IRIS LEIN
Telluride, Colo.

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

ED L. KEZINA
Telluride, Colo.

A-14°00'00" R
D-350.0'
T-350.0'
L-700.0'
R-2885'

Clearing Berubbing
Sta 702 to Sta 714 Heavy Willows L&R
Sta 714 to Sta 717 Heavy Willows R

Kokomo Placer

Missouri Placer

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

BERTHA DANIELS
NUGO, Colo.

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

MIKE ALDASORO
JOAQUIN ALDASORO
Telluride, Colo.

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34


Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

Point of Beginning
T-14°00'00" W-1255.7'
to NW cor. sec. 34
to NW cor. sec. 34

| CO. ROAD DIST. IN | BEI. | COLO. | SPED. NO. | SHEET NO. |
|-------------------|------|-----------|-----------|-----------|
| 9 | 9 | 5 015(13) | 10 | |

RIGHT OF WAY

380°00'E



MILFORD and IRIS LEIN
Telluride, Colo.

Tract 1

Tract 2

Tract 3

Tract 4

Tract 5

Tract 6

Tract 7

Tract 8

Tract 9

Tract 10

Tract 11

Tract 12

Tract 13

Tract 14

Tract 15

Tract 16

Tract 17

Tract 18

Tract 19

Tract 20

Tract 21

Tract 22

Tract 23

Tract 24

Tract 25

Tract 26

Tract 27

Tract 28

Tract 29

Tract 30

Tract 31

Tract 32

Tract 33

Tract 34

Tract 35

Tract 36

Tract 37

Tract 38

Tract 39

Tract 40

Tract 41

Tract 42

Tract 43

Tract 44

Tract 45

Tract 46

Tract 47

Tract 48

Tract 49

Tract 50

Tract 51

Tract 52

Tract 53

Tract 54

Tract 55

Tract 56

Tract 57

Tract 58

Tract 59

Tract 60

Tract 61

Tract 62

Tract 63

Tract 64

Tract 65

Tract 66

Tract 67

Tract 68

Tract 69

Tract 70

Tract 71

Tract 72

Tract 73

Tract 74

Tract 75

Tract 76

Tract 77

Tract 78

Tract 79

Tract 80

Tract 81

Tract 82

Tract 83

Tract 84

Tract 85

Tract 86

Tract 87

Tract 88

Tract 89

Tract 90

Tract 91

Tract 92

Tract 93

Tract 94

Tract 95

Tract 96

Tract 97

Tract 98

Tract 99

Tract 100

Tract 101

Tract 102

Tract 103

Tract 104

Tract 105

Tract 106

Tract 107

Tract 108

Tract 109

Tract 110

Tract 111

Tract 112

Tract 113

Tract 114

Tract 115

Tract 116

Tract 117

Tract 118

Tract 119

Tract 120

Tract 121

Tract 122

Tract 123

Tract 124

Tract 125

Tract 126

Tract 127

Tract 128

Tract 129

Tract 130

Tract 131

Tract 132

Tract 133

Tract 134

Tract 135

Tract 136

Tract 137

Tract 138

Tract 139

Tract 140

Tract 141

Tract 142

Tract 143

Tract 144

Tract 145

Tract 146

Tract 147

Tract 148

Tract 149

Tract 150

Tract 151

Tract 152

Tract 153

Tract 154

Tract 155

Tract 156

Tract 157

Tract 158

Tract 159

Tract 160

Tract 161

Tract 162

Tract 163

Tract 164

Tract 165

Tract 166

Tract 167

Tract 168

Tract 169

Tract 170

Tract 171

Tract 172

Tract 173

Tract 174

Tract 175

Tract 176

Tract 177

Tract 178

Tract 179

Tract 180

Tract 181

Tract 182

Tract 183

Tract 184

Tract 185

Tract 186

Tract 187

Tract 188

Tract 189

Tract 190

Tract 191

Tract 192

Tract 193

Tract 194

Tract 195

Tract 196

Tract 197

Tract 198

Tract 199

Tract 200

Tract 201

Tract 202

Tract 203

Tract 204

Tract 205

Tract 206

Tract 207

Tract 208

Tract 209

Tract 210

Tract 211

Tract 212

Tract 213

Tract 214

Tract 215

Tract 216

Tract 217

Tract 218

Tract 219

Tract 220

Tract 221

Tract 222

Tract 223

Tract 224

Tract 225

Tract 226

Tract 227

Tract 228

Tract 229

Tract 230

Tract 231

Tract 232

Tract 233

Tract 234

Tract 235

Tract 236

Tract 237

Tract 238

Tract 239

Tract 240

Tract 241

Tract 242

Tract 243

Tract 244

Tract 245

Tract 246

Tract 247

Tract 248

Tract 249

Tract 250

Tract 251

Tract 252

Tract 253

Tract 254

Tract 255

Tract 256

Tract 257

Tract 258

Tract 259

Tract 260

Tract 261

Tract 262

Tract 263

Tract 264

Tract 265

Tract 266

Tract 267

Tract 268

Tract 269

Tract 270

Tract 271

Tract 272

E1/2 Sec 34, T43N, R9W



Sec 35, T43N, R9W

Com. Cor. 1-124 B-1438

Com. Cor. 2-1438 174

| Comp. Cor. | 1-124 B-1438 | 2-1438 174 |
|------------|--------------|------------|
| 1st | 1 | 2 |
| 2nd | 3 | 4 |
| 3rd | 5 | 6 |
| 4th | 7 | 8 |
| 5th | 9 | 10 |

RIGHT OF WAY



750 740 730 720 710

| SEC. 35 | 43N | 59W | BLK. | TR. |
|---------|-----|--------|------|-----|
| 9 | 9 | 503031 | 12 | |

RIGHT OF WAY

U.S. FOREST LAND
UNITED STATES OF AMERICA

ED J and ROSALIA VEZINA
Telluride, Colo.


ED J and ROSALIA VEZINA
Telluride, Colo.

Virginia Placer

A-1040'R
D-2100'
L-2333'
R-2865'



A-2452'R
D-11533'
L-1082.8'
R-4911.4'

ED J and ROSALIA VEZINA
Telluride, Colo.



| FILE NO. | SHEET | DATE |
|----------|-------|------|
| 9 | 13 | 1935 |

RIGHT OF WAY





Δ-24452 R
 P-1082 B
 L-2131.4
 R-4911.4

Sta. 35.143N.R.S.W.

820
 825
 830
 835
 840
 845

| F/O. ROAD
DIV. AND | DIST. | PROJ. NO. | SHEET
NO. | TOTAL
SHEETS |
|-----------------------|-------|------------|--------------|-----------------|
| 9 | CONO. | 5 0150 (3) | 14 | |



| | |
|----------------|----------|
| PROJECT NO. | 0145(19) |
| SECTION | 0145(19) |
| DATE | 01/15/19 |
| AS CONSTRUCTED | |
| NO REVISIONS | |
| REVISIONS | |

COLORADO DEPARTMENT OF TRANSPORTATION

PLAN AND PROFILE OF PROPOSED
FEDERAL AID-PROJECT NO. STE(CX) 0145(19)
STATE HIGHWAY NO. 145
SAN MIGUEL COUNTY

SCALE OF ORIGINAL DIMENSIONS
ON PLAN: 1" = 50 FT. HORIZONTAL
ON PROFILE: 1" = 5 FT. VERTICAL


INDEX OF SHEETS

- | SHEET NUMBER | TITLE SHEET |
|--------------|--------------------------|
| 1. | STANDARD PLANS LIST |
| 2. | GENERAL NOTES |
| 3. | TYPICAL SECTION |
| 4. | PLAN AND PROFILE SHEETS |
| 5. - 15. | STRUCTURE CROSS SECTIONS |
| 101 - 127 | BIKEPATH CROSS SECTIONS |
| 201 - 301 | |

LENGTH AND DESIGN DATA

| STATION | ROADWAY | STRUCTURE | LINEAR FEET |
|--------------------------------|-------------|-----------|-------------|
| | XX,XXX | | |
| TOTAL | | | |
| SUMMARY | LINEAR FEET | MILES | XX,XXX |
| ROADWAY (NET AND GROSS LENGTH) | XX,XXX | XX,XXX | |
| DESIGN DATA | | | |
| MAXIMUM DEGREE OF CURVE | 38°11'50" | | |
| MAXIMUM GRADE | 3.714% | | |
| MINIMUM SSD HORIZONTAL | N.A. | | |
| MINIMUM SSD VERTICAL | N.A. | | |
| MAXIMUM DESIGN SPEED | N.A. | | |
| 2013 DESIGN TRAFFIC VOLUME | ADT | | |
| | DIV | | |
| % TRUCKS | N.A. | | |

For Information Only



| | |
|------------------------|----------|
| AS CONSTRUCTED ROADWAY | |
| CORRECTION | |
| PROJECT NO. | 0145(19) |
| PROJECT SHEET | |
| PROJECT COMPLETED | |
| AS CONSTRUCTED PLANS | |
| TITLE | |
| DATE | |

| | | | | | | | |
|----------------|--|----------|--|-------|--|-----------------|---|
| AS CONSTRUCTED | | DESIGNED | | NOTED | | PROJECT NO. | |
| NO REVISIONS | | | | | | STC(0) 0145(10) | 2 |

| PLAN NUMBER | M STANDARD TITLE | PAGE NUMBER | PLAN NUMBER | S STANDARD TITLE | PAGE NUMBER |
|-------------|---|-------------|-------------|--|-------------|
| ■ M-100-1 | STANDARD SYMBOLS | 1 | □ S-612-1 | TYPICAL DELINEATOR INSTALLATIONS | 93 |
| ■ M-107-1 | TEMPORARY EROSION CONTROL | 2 | ■ S-614-1 | TYPICAL GROUND SIGN PLACEMENT | 98 |
| ■ M-203-1 | APPROACH ROADS | 3 | □ S-614-2 | CLASS I GROUND SIGN INSTALLATIONS | 99 |
| ■ M-203-2 | DITCH TYPES | 4 | □ S-614-3 | CLASS II GROUND SIGN INSTALLATIONS | 100 |
| ■ M-203-10 | SUPERELEVATION CROWNED HIGHWAYS | 5 | □ S-614-4 | CLASS III SIGN SHEET ALUMINUM PANELS | 101 |
| ■ M-203-11 | SUPERELEVATION DIVIDED HIGHWAYS SHOULDER PAVT. | 6 | ■ S-614-5 | BRIDGE SUPPORT DETAILS | 104 |
| ■ M-203-12 | SUPERELEVATION STREETS | 7 | □ S-614-6 | CONCRETE FOOTINGS AND SIGN ISLANDS | 106 |
| ■ M-203-13 | SUPERELEVATION DIVIDED HIGHWAYS CENTER PAVT. | 8 | □ S-614-10 | TYPICAL MARKER ASSEMBLY INSTALLATIONS | 108 |
| ■ M-206-1 | EXCAVATION AND BACKFILL FOR STRUCTURES (3 SHEETS) | 9 | □ S-614-11 | MIKEPOST SIGN AND INSTALLATION | 109 |
| ■ M-206-2 | EXCAVATION AND BACKFILL FOR BRIDGES | 12 | □ S-614-12 | STRUCTURE NUMBER INSTALLATION | 110 |
| ■ M-210-1 | MAILBOX SUPPORTS | 13 | ■ S-614-14 | BRIDGE INFORMATION SHEET | 111 |
| ■ M-214-1 | PLANTING DETAILS | 15 | □ S-614-14 | TYPICAL POLE MOUNT SIGN INSTALLATION | 113 |
| ■ M-412-1 | CONCRETE PAVEMENT JOINTS | 16 | □ S-614-21 | CONCRETE BARRIER SIGN POST INSTALLATIONS | 114 |
| ■ M-412-2 | CURBED CONCRETE PAVEMENT JOINTS | 17 | □ S-614-22 | TYPICAL MULTI-SIGN INSTALLATIONS | 115 |
| ■ M-504-1 | STEEL CRIBBING | 18 | □ S-614-40 | TYPICAL TRAFFIC SIGNAL INSTALLATION DETAILS (3 SHEETS) | 116 |
| ■ M-506-1 | CARBONS AND SLOPE MATRESS | 19 | ■ S-627-1 | TYPICAL PAVEMENT MARKINGS | 119 |
| ■ M-510-1 | STRUCTURAL PLATE CULVERT PIPE H-20 LOADING | 20 | ■ S-630-1 | ROADWAY SIGNALS FOR HIGHWAY CONSTRUCTION | 123 |
| ■ M-601-1 | SINGLE CONCRETE BOX CULVERT | 21 | □ S-630-2 | BARRICADES, DRUMS, CONCRETE BARRIERS | 132 |
| ■ M-601-2 | DOUBLE CONCRETE BOX CULVERT | 23 | □ S-630-3 | FLASHING BEACON (PORTABLE) DETAILS | 133 |
| ■ M-601-3 | TRIPLE CONCRETE BOX CULVERT | 25 | | | |
| ■ M-601-10 | HEADWALL FOR PIPE CULVERTS | 27 | | | |
| ■ M-601-11 | TYPE "S" SADDLE HEADWALL FOR PIPE CULVERTS | 28 | | | |
| ■ M-601-12 | HEADWALLS AND CULVERT OUTLET PAVING | 29 | | | |
| ■ M-601-20 | WINGWALLS FOR PIPE OR BOX CULVERTS | 30 | | | |
| ■ M-603-1 | METAL AND PLASTIC CULVERT PIPE | 31 | | | |
| ■ M-603-2 | REINFORCED CONCRETE PIPE | 33 | | | |
| ■ M-603-3 | PRECAST CONCRETE PIPE | 34 | | | |
| ■ M-603-10 | CONCRETE AND METAL END SECTIONS | 35 | | | |
| ■ M-604-10 | INLET, TYPE C | 37 | | | |
| ■ M-604-11 | INLET, TYPE D | 38 | | | |
| ■ M-604-12 | CURB INLET, TYPE B | 39 | | | |
| ■ M-604-13 | CONCRETE INLET, TYPE 13 | 41 | | | |
| ■ M-604-20 | MANHOLES | 42 | | | |
| ■ M-605-1 | SURFACE DRAINS | 45 | | | |
| ■ M-606-1 | GUARDRAIL, TYPE 3, W-BEAM | 46 | | | |
| ■ M-606-12 | GUARDRAIL, TYPE 4, CONCRETE BARRIER | 56 | | | |


THE STANDARD PLAN SHEETS INDICATED HEREON BY A SHADOWED BOX ARE TO BE USED TO CONSTRUCT THIS PROJECT.

COLORADO
DEPARTMENT OF TRANSPORTATION
STANDARD PLANS LIST


M & S STANDARDS NOVEMBER 1992

TYPICAL SECTION

Break points on slopes and in bottom of ditches shall be rounded during construction for a pleasing appearance. See standards for details of cut slopes and ditching, grading and widening.
The depth and width of the side ditch shall be varied where necessary in order to provide proper drainage.



BIKEWAY RAILING DETAIL



| LEFT SIDE | |
|--|--|
| CUT SLOPES | FILL SLOPES |
| Sta. 103+85 to 159+00
Slope 6:1 when H is < 2' but < 6'
Slope 3:1 when H is > 6' | Sta. 103+85 to 159+00
Slope 4:1 when H is < 2' but < 17.5'
Slope 2:1 when H is > 17.5' |
| Sta. 159+00 to 205+50
Slope 4:1 when H is < 2' but < 2'
Slope 3:1 when H is > 2' | Sta. 212+00 to 257+60
Slope 4:1 when H is < 1' but < 1.75'
Slope 3:1 when H is > 1.75' but < 3.33' |
| Sta. 205+50 to 211+50
Slope 6:1 when H is < 1' but < 2'
Slope 3:1 when H is > 2' but < 3.33' | |

| RIGHT SIDE | |
|---|---|
| CUT SLOPES | FILL SLOPES |
| Slope 4:1 when H is < 2'
Slope 3:1 when H is > 2' but < 6'
Slope 2:1 when H is > 6' | Slope 4:1 when H is < 2'
Slope 3:1 when H is > 2' but < 4'
Slope 2:1 when H is > 4' |

Material shall be placed in separate courses at the following approximate rates per 100 linear feet of roadway:

| | |
|-------------------------------|------|
| Bluminous Pavement | Tons |
| Top Layer | Tons |
| Bottom Layer | Tons |
| Aggregate Base Course (Cl. 6) | Tons |
| (Maintenance Gravel) | Tons |
| Shoulder A.B.C. (Special) | Tons |

The rates shown have been determined from information available at the time of design.
Rates should be adjusted during construction to obtain the required approximate thickness.

* Approximate thickness



• The Contractor will be required to place A.B.C. (Special) to this line after completion of the paving operation.

• The Contractor will be required to place Topsoil to this line.

| | | | |
|--------------|---------|------------------|-----|
| AS COMPLETED | | PROJECT NO. | |
| NO RESUME | REMOVED | STE(CX) 0145(19) | |
| DATE | | SHEET | |
| DATE | DATE | NO. | NO. |
| 1964 | 1964 | 1 | 6 |

Original Scale: 1" = 50'



$\Delta = 4704.30'$ LT
 $Dc = 1700.00'$
 $Tc = 203.84'$
 $Lc = 407.50'$
 $Rc = 5729.58'$



| | |
|-----|------|
| REV | DATE |
| 1 | 7/ |
| 2 | 7/ |
| 3 | 7/ |

Original Scale: 1" = 50'


| | | | |
|--------------|--------------|----------|------|
| NO REVISIONS | AS CONTAINED | REVISION | DATE |
| | | | |



| PROJECT NO. | DATE |
|------------------|------|
| STE(CX) 0145(19) | 8 |
| DESIGNER | DATE |
| COLUMBIA | 3/81 |
| REVISIONS | DATE |
| NO REVISIONS | |

Original Scale 1" = 50'

$\Delta = 1355.00'$ RT
 $D_c = 700.00'$
 $T_c = 349.64'$
 $M_e = 695.83'$
 $R_c = 2867.79'$




| | | | |
|---------------|--|------------------|--|
| PROJECT NO. | | SIT(CX) 0145(19) | |
| SHEET | | 1 | |
| DATE | | 10/15/19 | |
| DRAWN BY | | CMM | |
| CHECKED BY | | CMM | |
| NO. OF SHEETS | | 1 | |
| AS ORDERED | | REVISED | |
| NO. OF SHEETS | | 1 | |

Original Scale: 1" = 50'

| | | | |
|---------------|--|------------------|--|
| PROJECT NO. | | SIT(CX) 0145(19) | |
| SHEET | | 1 | |
| DATE | | 10/15/19 | |
| DRAWN BY | | CMM | |
| CHECKED BY | | CMM | |
| NO. OF SHEETS | | 1 | |
| AS ORDERED | | REVISED | |
| NO. OF SHEETS | | 1 | |

Original Scale: 1" = 50'





| | | | |
|---------------|--|-----------|--|
| PROJECT NO. | | SHEET NO. | |
| 175-21 | | 0145(19) | |
| DATE | | 10 | |
| REVISED | | 10 | |
| NO. OF SHEETS | | 10 | |
| AS ORDERED | | 10 | |
| 175-21 | | 10 | |

Original Scale: 1" = 50'

| | | | |
|---------------|--|-----------|--|
| PROJECT NO. | | SHEET NO. | |
| 175-21 | | 0145(19) | |
| DATE | | 10 | |
| REVISED | | 10 | |
| NO. OF SHEETS | | 10 | |
| AS ORDERED | | 10 | |
| 175-21 | | 10 | |


Original Scale: 1" = 50'





| | | | |
|-------------|--|-----------|--|
| PROJECT NO. | | SHEET NO. | |
| 0145(9) | | 11 | |
| DATE | | DATE | |
| 01/00/00 | | 01/00/00 | |
| BY | | BY | |
| JME | | JME | |
| CHECKED | | CHECKED | |
| JME | | JME | |
| APPROVED | | APPROVED | |
| JME | | JME | |



Original Scale: 1" = 20'

| | | | |
|----------------|--|----------|--|
| AS CONSTRUCTED | | BY | |
| NO REVISIONS | | JME | |
| REVISION | | REVISION | |
| DATE | | DATE | |
| 01/00/00 | | 01/00/00 | |
| BY | | BY | |
| JME | | JME | |
| CHECKED | | CHECKED | |
| JME | | JME | |
| APPROVED | | APPROVED | |
| JME | | JME | |



| | | | | | |
|---|----------|----------|--|-------|--|
| PROJECT NO. | | DIVISION | | SHEET | |
| STE(CX) 0145(19) | | COLUMBIA | | 1/2 | |
| Original Scale: 1" = 50' | | | | | |
| AS CONSTRUCTED | DESIGNED | VIEW | | | |
| 1" = 100' HORIZONTAL
1" = 10' VERTICAL | | | | | |







236+02 - Remove 2' of Existing Culvert
Realign 2' x 22' Culvert to Existing Cross Section

PC 235+35.23

SH 145

235

240

245

Existing R.O.W.


New R.O.W.

Limits of wetlands

$\Delta = 2,413.37'$ RL
 $D_c = 116.00'$
 $T_c = 1074.31'$
 $L_c = 2116.43'$
 $R_c = 4911.07'$

1:5000

LEGEND
 Existing wetlands
 Existing wetlands (impacted) = 16,875 Sq. Ft.
 = 0.39 Acres



245

240


235

1. No. 145(19) 15
 1. Scale: 1" = 50'
 1. Date: 11/15/07


AS CONTRACTED
 NO REVISIONS
 REVISION
 DATE

Existing wetlands (impacted) = 4.255 sq. ft.
 = 0.10 Acres

LEGEND
 Existing wetlands
 Existing wetlands (impacted)



$\Delta = 2441.30'$ RT
 $Dc = 11000'$
 $Tc = 1074.91'$
 $Lc = 2116.43'$
 $Rc = 4911.07'$



STA. 257+60 END PROJ. STE(CX) 0145(19)
 -30.74' RT. OF STA. 823+45.17 ON PROJ. S 0150(S)