

- INDEX OF SHEETS
- 1 Title Sheet
 - 2 Typical Cross Section and Summary of Quantities
 - 3 Standard Super elevation and Widening of Curves M 1 A
 - 4 Standard Wire Fences and Pole Posts M 14 F
 - 5 Standard Wire Cable Guard Fence M 20 F
 - 6 Standard Headwalls and Culverts M 102 E
 - 7 Plan and Profile
 - 8-38 Roadway Cross Sections

COLORADO


STATE HIGHWAY DEPARTMENT

PLAN AND PROFILE OF PROPOSED U. S. P. W. PROJECT NRH 29-C STATE HIGHWAY NO. 8 JEFFERSON COUNTY

CONVENTIONAL SIGNS

CENTER LINE OF SURVEY
 R. of W. LINE
 TOWNSHIP LINE
 COUNTY LINE
 SECTION LINE
 ONE-QUARTER SECTION LINE
 BARBED WIRE FENCE
 WIRE CABLE GUARD FENCE
 RAILROADS
 POLE LINE

SCALES
 ON PLAN 1 IN 100 FT
 ON PROFILE 1 IN 100 FT HORIZONTAL
 1 IN 10 FT VERTICAL
 GRADE LINE ON PROFILE IS SHOWN AS GRADE OF FINISHED ROAD
 GROSS LENGTH OF PROJECT } 20597 FT 0.390 MI
 NET LENGTH OF PROJECT }



RECOMMENDED ON PROAL 1/3/34

W. H. H. H.
AS STAFF ENGINEER

W. H. H. H.
ENGINEER

RECOMMENDED ON PROAL 1/3/34

W. H. H. H.
AS STAFF ENGINEER

W. H. H. H.
ENGINEER

RECOMMENDED ON PROAL 1/3/34

W. H. H. H.
AS STAFF ENGINEER

W. H. H. H.
ENGINEER

		U.S. #	8	0
		REG. NO.	NO.	ST.
	00	NK H 296	2	



the necessity of such a system to be considered
in the only Sunday 1/15 perfect
at the rate of 50 tons per 100 ft. road
but the cost

If does not excavation and embankment are not ok, in
the present roadway, not able for the 200 km/h, the
underlying the surface as shown in the typical section is to be
constructed of selected material which is to be classified and
paid for as Unassisted Excavation

SUMMARY OF APPROXIMATE QUANTITIES

[illegible][illegible]

FENCING REQUIREMENTS

[illegible][illegible]

